AUTHOR INDEX

ADAMS, A.J.
Schneck, M.E., Adams, A.J., Volbrecht, V.J. and Haegerstrom-Portnoy, G. LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973
Verdon, W., Haegerstrom-Portnoy, G. and Adams, A.J. Spatial sensitization in the short wavelength sensitive pathways under dichoptic viewing conditions 30: 81
ADAMS, R.J.
Adams, R.J., Maurer, D. and Cashin, H.A. The influence of stimulus size on newborns' discrimination of chromatic from achromatic stimuli 30: 2023
ADAMUS, G.
Palczewski, K., Carruth, M.E., Adamus, G., McDowell, J.H. and Hargrave, P.A. Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
ALEXANDER, K.R.
Peachey, N.S., Alexander, K.R. and Derlacki, D.J. Spatial properties of rod-cone interactions in flicker and hue detection 30: 1205
ALPERN, M.
Alpern, M., Zhang, H. and Noji, J. Do deviations from radiance-invariance of metameric matches contradict the three pigment theory of foveal trichromacy 30: 1539
ANDERSON, S.J.
Anderson, S.J. and Hess, R.F. Post-receptoral undersampling in normal human peripheral vision 30: 1507
ARCHER, S.N.
Archer, S.N. and Lythgoe, J.N. The visual pigment basis for cone polymorphism in the guppy, *Poecilia reticulata* 30: 225
ARORA, A.
Vaegan, Arora, A., Crewther, S.G. and Millar, T.J. The effect of various anaesthetics on the spatial tuning of two major wave peaks in the transient pattern electroretinogram of the cat: evidence for pattern and luminance components 30: 1401
ASLIN, R.N.
Shea, S.L. and Aslin, R.N. Oculomotor responses to step-ramp targets by young human infants 30: 1077
AZUMA, M.
Azuma, M., Seki, T. and Fujishita, S. Changes of egg retinoids during the development of *Xenopus laevis* 30: 1395

BADCOCK, D.R.
Badcock, D.R. and Wong, T.L. The sensitivity of separation discrimination to spatiotemporal jitter 30: 1555
BARLOW, H.
Barlow, H. Conditions for versatile learning, Helmholtz's unconscious inference, and the task of perception 30: 1561
BARNES, C.S.
Hofmann, M.I., Barnes, C.S. and Hallett, P.E. Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453
BARTH, E.
Zetzsche, C. and Barth, E. Fundamental limits of linear filters in the visual processing of two-dimensional signals 30: 1111
BECKER, W.
Becker, W. and Jürgens, R. Human oblique saccades: quantitative analysis of the relation between horizontal and vertical components 30: 893
BELLHORN, R.W.
Murphy, C.J., Bellhorn, R.W., Williams, T., Burns, M.S., Schaeffel, F. and Howland, H.C. Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23
BENOIT, J.
Benoit, J. and Lachapelle, P. Temporal relationship between ERG components and geniculate unit activity in rabbit 30: 797
Lachapelle, P., Benoit, J., Blain, L., Guité, P., Roy, M.S. The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503
VAN DEN BERG, T.J.T.P.
IJspeert, J.K., de Waard, P.W.T., van den Berg, T.J.T.P. and de Jong, P.T.V.M. The intraocular straylight function in 129 healthy volunteers; dependence on angle, age and pigmentation 30: 699

BIDEAU, H.
Mallot, H.A. and Bideau, H. Binocular vergence influences the assignment of stereo correspondences 30: 1521
BIRCH, E.E.
Swanson, W.H. and Birch, E.E. Infant spatiotemporal vision: dependence of spatial contrast sensitivity on temporal frequency 30: 1033
BISCHOF, W.F.
Bischof, W.F. and Di Lollo, V. Perception of directional sampled motion in relation to displacement and spatial frequency: evidence for a unitary motion system 30: 1341
BISTI, S.
Maffei, L., Fiorentini, A. and Bisti, S. The visual acuity of the Lynx 30: 527
BLAIN, L.
Lachapelle, P., Benoit, J., Blain, L., Guité, P., Roy, M.S. The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503
BLES, W.
de Graaf, B., Wertheim, A.H., Bles, W. and Kremers, J. Angular velocity, not temporal frequency determines circular vection 30: 637
BLOCH, S.
Palacios, A., Martinoya, C., Bloch, S. and Varela, F.J. Color mixing in the pigeon. A psychophysical determination in the longwave spectral range 30: 587
BONAVENTURE, N.
Yücel, Y.H., Jardon, B., Kim, M.S. and Bonaventure, N. Directional asymmetry of the horizontal monocular head and eye optokinetic nystagmus: effects of picrotoxin 30: 549
BOOTH, L.
Goodale, M.A., Ellard, C.G. and Booth, L. The role of image size and retinal motion in the computation of absolute distance by the Mongolian gerbil (*Meriones unguiculatus*) 30:399
BOULTON, J.C.
Boulton, J.C. and Hess, R.F. Luminance contrast and motion detection 30: 175
Boulton, J.C. and Hess, R.F. The optimal displacement for the detection of motion 30: 1101
BOULTON, M.
Boulton, M., Docchio, F., Dayhaw-Barker, P. Ramponi, R. and Cubeddu, R. Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291
BOVIK, A.C.
Jordan, J.R. III, Geisler, W.S. and Bovik, A.C. Color as a source of information in the stereo correspondence process 30: 1955
BOWNE, S.F.
Bowne, S.F. Contrast discrimination cannot explain spatial frequency, orientation or temporal frequency discrimination 30: 449
McKee, S.P., Levi, D.M. and Bowne, S.F. The imprecision of stereopsis 30: 1763
McKee, S.P., Welch, L., Taylor, D.G. and Bowne, S.F. Finding the common bond: stereoacuity and the other hyperacuities 30: 879
BOYCOTT, B.B.
Wässle, H., Grünert, U., Röhrenbeck, J. and Boycott, B.B. Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897
BOYNTON, R.M.
Boynton, R.M., Olson, C.X. Salience of chromatic basic color terms confirmed by three measures 30: 1311
BRADDICK, O.J.
Cleary, R. and Braddick, O.J. Direction discrimination for band-pass filtered random dot kinematograms 30: 303
Cleary, R. and Braddick, O.J. Masking of low frequency information in short-range apparent motion 30: 317
Snowden, R.J. and Braddick, O.J. Differences in the processing of short-range apparent motion at small and large displacements 30: 1211
BRADLEY, A.
Switkes, E., Bradley, A. and Schor, C. Readily visible changes in color contrast are insufficient to stimulate accommodation 30: 1367
Thibos, L.N., Bradley, A., Still, D.L., Zhang, X. and Howarth, P.A. Theory and measurement of ocular chromatic aberration 30: 33
BREITMEYER, B.G.
Breitmeyer, B.G. and Williams, M.C. Effects of isoluminant-background color on metacontract and stroboscopic motion: interactions between sustained (*P*) and transient (*M*) channels 30: 1069
BROOKE, M. DE L.
Hayes, B.P. and Brooke, M. de L. Retinal ganglion cell distribution and behaviour in procellariiform seabirds 30: 1277

BROWN, A.M.
Brown, A.M. Development of visual sensitivity to light and color vision in human infants: a critical review 30: 1159
BUCHANAN-SMITH, H.M.
Heeley, D.W. and Buchanan-Smith, H.M. Recognition of stimulus orientation 30: 1429
BURBECK, C.A.
Burbeck, C.A. and Yap, Y.L. Spatial-filter selection in large-scale spatial-interval discrimination 30: 263
Burbeck, C.A. and Yap, Y.L. Spatiotemporal limitations in bisection and separation discrimination 30: 1573
Burbeck, C.A., and Yap, Y.L. Two mechanisms for localization? Evidence for seperation-dependent and separation-independent processing of position information 30: 739
BURNS, M.S.
Murphy, C.J., Bellhorn, R.W., Williams, T., Burns, M.S., Schaeffel, F. and Howland, H.C. Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23

CADERA, W.
Tweed, D., Cadera, W. and Vilis, T. Computing three-dimensional eye position quaternions and eye velocity from search coil signals 30: 97
CALVERT, J.E.
Harris, J.P., Calvert, J.E. and Snelgar, R.S. Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
CAMERON, E.L.
Mikaelian, H.H., Mikaelian, D.M., and Cameron, E.L. Adaptation to tilt is not produced by eye-muscle potentiation 30: 779
CAMPBELL, M.C.W.
Campbell, M.C.W., Harrison, E.M. and Simonet, P. Psychophysical measurement of the blur on the retina due to optical aberrations of the eye 30: 1587
Simonet, P. and Campbell, M.C.W. The optical transverse chromatic aberration on the fovea of the human eye 30: 187
CARNEY, T.
Klein, S.A., Casson, E. and Carney, T. Vernier acuity as line and dipole detection 30: 1703
CARROLL, J.R.
Freedman, W., Carroll, J.R. and McElligott, J.G. Comparison of vestibulo-ocular reflex (VOR) modification methods in cats 30: 1525
CARRUTH, M.E.
Palczewski, K., Carruth, M.E., Adamus, G., McDowell, J.H. and Hargrave, P.A. Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
CASHIN, H.A.
Adams, R.J., Maurer, D. and Cashin, H.A. The influence of stimulus size on newborns' discrimination of chromatic from achromatic stimuli 30: 2023
CASSON, E.
Klein, S.A., Casson, E. and Carney, T. Vernier acuity as line and dipole detection 30: 1703
CAVANAGH, P.
Flanagan, P., Cavanagh, P. and Favreau, O.E. Independent orientation-selective mechanisms for the cardinal directions of colour space 30: 769
Shioiri, S. and Cavanagh, P. ISI produces reverse apparent motion 30: 757
CHAN, H.
Cogan, A.I., Clarke, M., Chan, H. and Rossi, A. Two-pulse monocular and binocular interactions at the differential luminance threshold 30: 1617
CHANG, J.J.
Chang, J.J. New phenomena linking depth and luminance in stereoscopic motion 30: 137
CHARLES, E.R.
Logothetis, N.K. and Charles, E.R. The minimum motion technique applied to determine isoluminance in psychophysical experiments with monkeys 30: 829
CHARMAN, W.N.
Walsh, G. and Charman, W.N. The subjective sensitivity to small changes in the contrast of a suprathreshold grating 30: 163
CICERONE, C.M.
Cicerone, C. and Hayhoe, M.M. The size of the pool for bleaching adaptation in human rod vision 30: 693
Cicerone, C.M., Hayhoe, M.M. and MacLeod, D.I.A. The spread of adaptation in human foveal and parafoveal cone vision 30: 1603

CLARKE, M.
Cogan, A.I., Clarke, M., Chan, H. and Rossi, A. Two-pulse monocular and binocular interactions at the differential luminance threshold 30: 1617
CLEARY, R.
Cleary, R. and Braddick, O.J. Direction discrimination for band-pass filtered random dot kinematograms 30: 303
Cleary, R. and Braddick, O.J. Masking of low frequency information in short-range apparent motion 30: 317
Cleary, R. Contrast dependence of short-range uniform field flicker 30: 463
COGAN, A.I.
Cogan, A.I., Clarke, M., Chan, H. and Rossi, A. Two-pulse monocular and binocular interactions at the differential luminance threshold 30: 1617
Cogan, A.I. The interocular luminance yoke: a vestige of phototaxis? 30: 181
COHEN, J.L.
Cohen, J.L., Heuter, R.E. and Organisciak, D.T. The presence of a porphyropsin-based visual pigment in the juvenile lemon shark (*Negaprion brevirostris*) 30: 1949
COLE, G.R.
McIlhagga, W., Hine, T., Cole, G.R. and Snyder A.W. Texture segregation with luminance and chromatic contrast 30: 489
COLETTA, N.J.
Coletta, N.J., Williams, D.R. and Tiana, C.L.M. Consequences of spatial sampling for human motion perception 30: 1631
COLLEWIJN, H.
Steinman, R.M., Kowler, E. and Collewijn, H. New directions for oculomotor research 30: 1845
CONTE, M.M.
Victor, J.D. and Conte, M.M. Motion mechanisms have only limited access to form information 30: 289
COPENHAGEN, D.R.
Nawy, S. and Copenhagen, D.R. Intracellular cesium separates two glutamate conductances in retinal bipolar cells of goldfish 30: 967
COX, N.J.
Lutze, M., Cox, N.J., Smith, V.C. and Pokorny, J. Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149
CREWTHER, S.G.
Vaegan, Arora, A., Crewther, S.G. and Millar, T.J. The effect of various anaesthetics on the spatial tuning of two major wave peaks in the transient pattern electroretinogram of the cat: evidence for pattern and luminance components 30: 1401
CUBEDDU, R.
Boulton, M., Docchio, F., Dayhaw-Barker, P. Ramponi, R. and Cubeddu, R. Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291
CUMMINGS, R.W.
Whittaker, S.G. and Cummings, R.W. Foveating saccades 30: 1363

DARCANGELO, S.M.
Raymond, J.E. and Darcangelo, S.M. The effect of local luminance contrast on induced motion 30: 751
DAWSON, M.
Dawson, M. and Di Lollo, V. Effects of adapting luminance and stimulus contrast on the temporal and spatial limits of short-range motion 30: 415
DAYHAW-BARKER, P.
Boulton, M., Docchio, F., Dayhaw-Barker, P. Ramponi, R. and Cubeddu, R. Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291
DEB, M.K.
Deb, M.K., Dey, S., Varman, A.R. and Michael, R.G. Scanning electron microscopic studies on lenticular aberations due to prolonged starvation in a cat fish (*Heteropneustes fossilis*, Bloch) 30: 1017
DERLACKI, D.J.
Peachey, N.S., Alexander, K.R. and Derlacki, D.J. Spatial properties of rod-cone interactions in flicker and hue detection 30: 1205
DE VALOIS, K.K.
De Valois, K.K., Lakshminarayanan, V., Nygaard, R., Schlussel, S and Sladky, J. Discrimination of relative spatial position 30: 1649

DEY, S.
Deb, M.K., Dey, S., Varman, A.R. and Michael, R.G. Scanning electron microscopic studies on lenticular aberations due to prolonged starvation in a cat fish (*Heteropneustes fossilis*, Bloch) 30: 1017
DI LOLLO, V.
Bischof, W.F. and Di Lollo, V. Perception of directional sampled motion in relation to displacement and spatial frequency: evidence for a unitary motion system 30: 1341
Dawson, M. and Di Lollo, V. Effects of adapting luminance and stimulus contrast on the temporal and spatial limits of short-range motion 30: 415
DOCCHIO, F.
Boulton, M., Docchio, F., Dayhaw-Barker, P. Ramponi, R. and Cubeddu, R. Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291

EDGAR, G.K.
Smith, A.T., Edgar, G.K. The influence of spatial frequency on perceived temporal frequency and perceived speed 30: 1467
EIZENMAN, M.
Eizenman, M., Cheng, P., Sharpe, J.A., and Frecker, R.C. End-point nystagmus and ocular drift: an experimental and theoretical study 30: 863
ELLARD, C.G.
Goodale, M.A., Ellard, C.G. and Booth, L. The role of image size and retinal motion in the computation of absolute distance by the Mongolian gerbil (*Meriones unguiculatus*) 30:399
ELLIOTT, D.
Elliott, D., Whitaker, D., and MacVeigh, D. Neural contribution to spatiotemporal contrast sensitivity decline in healthy ageing eyes 30: 541
ENRIGHT, J.T.
Enright, J.T. Stereopsis, cyclotorsional "noise" and the apparent vertical 30: 1487
ERICHSEN, J.T.
Hodos, W. and Erichsen, J.T. Lower-field myopia in birds: an adaptation that keeps the ground in focus 30: 653
ESSOCK, E.A.
Essock, E.A. The influence of stimulus length on the oblique effect of contrast sensitivity 30: 1243
ESTÉVEZ, O.
Vos, J.J., Estévez, O. and Walraven, P.L. Improved color fundamentals offer a new view on photometric additivity 30: 937

FAN, T.-X.
Yang, X.-L., Fan, T.-X., and Li, J.-D. Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993
FARRELL, J.E.
Farrell, J.E., Pavel, M., and Sperling, G. The visible persistence of stimuli in stroboscopic motion 30: 921
FAVREAU, O.E.
Flanagan, P., Cavanagh, P. and Favreau, O.E. Independent orientation-selective mechanisms for the cardinal directions of colour space 30: 769
FERN, K.D.
Manny, R.E. and Fern, K.D. Motion coherence in infants 30: 1319
FERNANDEZ-CRUZ, A.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
FERNANDEZ-DURANGO, R.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
FERRERA, V.P.
Ferrera, V.P. and Wilson, H.R. Perceived direction of moving two-dimensional patterns 30: 273
FINKELSTEIN, M.A.
Finkelstein, M.A., Harrison, M. and Hood, D.C. Sites of sensitivity control within a long-wavelength cone pathway 30: 1145

FINOCCHIO, D.V.
Finocchio, D.V., Preston, K.L. and Fuchs, A.F. Obtaining a quantitative measure of eye movements in human infants: a method of calibrating the electrooculogram 30: 1119
FIORENTINI, A.
Maffei, L., Fiorentini, A. and Bisti, S. The visual acuity of the Lynx 30: 527
FLANAGAN, P.
Flanagan, P., Cavanagh, P. and Favreau, O.E. Independent orientation-selective mechanisms for the cardinal directions of colour space 30: 769
FOX, R.
Patterson, R. and Fox, R. Metacontrast masking between cyclopean and luminance stimuli 30: 439
FRECKER, R.C.
Eizenman, M., Cheng, P., Sharpe, J.A., and Frecker, R.C. End-point nystagmus and ocular drift: an experimental and theoretical study 30: 863
FREEDMAN, W.
Freedman, W., Carroll, J.R. and McElligott, J.G. Comparison of vestibulo-ocular reflex (VOR) modification methods in cats 30: 1525
FREEMAN, R.D.
Freeman, R.D. and Ohzawa, I. On the neurophysiological organization of binocular vision 30: 1661
FRENS, M.A.
Lankheet, M.J.M., Frens, M.A. and van de Grind, W.A. Spatial properties of horizontal cell responses in the cat retina 30: 1257
FROST, B.J.
Frost, B.J., Wylie, D.R. and Wang, Y.-C. The processing of object and self-motion in the tectofugal and accessory optic pathways of birds 30: 1677
FUCHS, A.F.
Finocchio, D.V., Preston, K.L. and Fuchs, A.F. Obtaining a quantitative measure of eye movements in human infants: a method of calibrating the electrooculogram 30: 1119
FUJISHITA, S.
Azuma, M., Seki, T. and Fujishita, S. Changes of egg retinoids during the development of *Xenopus laevis* 30: 1395

GEISLER, W.S.
Jordan, J.R. III, Geisler, W.S. and Bovik, A.C. Color as a source of information in the stereo correspondence process 30: 1955
GEORGESON, M.A.
Georgeson, M.A. and Harris, M.G. The temporal range of motion sensing and motion perception 30: 615
GERLING, J.
Greenlee, M.W., Gerling, J., and Waltenspiel, S. Spatial-frequency discrimination of drifting gratings 30: 1331
GILBERT, C.D.
Gilbert, C.D., Wiesel, T.N. The influence of contextual stimuli on the orientation selectivity of cells in primary visual cortex of the cat 30: 1689
GILMARTIN, B.
Winn, B., Pugh, J.R., Gilmartin, B. and Owens, H. The frequency characteristics of accommodative microfluctuations for central and peripheral zones of the human crystalline lens 30: 1093
GLEASON, J.
Schor, C.M., Gleason, J. and Horner, D. Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827
GLENNERSTER, A.
Morgan, M.J., Hole, G.J. and Glennerster, A. Biases and sensitivities in geometrical illusions 30: 1793
GODFREY, D.A.
White, L.E., Ross, C.D. and Godfrey, D.A. Distributions of choline acetyltransferase and acetylcholinesterase activities in the retinal layers of pigeon red and yellow fields 30: 215
GOODALE, M.A.
Goodale, M.A., Ellard, C.G. and Booth, L. The role of image size and retinal motion in the computation of absolute distance by the Mongolian gerbil (*Meriones unguiculatus*) 30:399
DE GRAAF, B.
de Graaf, B., Wertheim, A.H., Bles, W. and Kremers, J. Angular velocity, not temporal frequency determines circular vection 30: 637
GREEN, D.G.
Pluvinage, V. and Green, D.G. Evidence for a power law intensity code in the coupled cones of the turtle 30: 673
Pluvinage, V. and Green, D.G. Square root intensity coding in turtle cones: physiological mechanisms 30: 683

GREENLEE, M.W.
Greenlee, M.W., Gerling, J., and Waltenspiel, S. Spatial-frequency discrimination of drifting gratings 30: 1331
GREENSTEIN, V.
Hood, D.C. and Greenstein, V. Models of the normal and abnormal rod system 30: 51
GRIGSBY, S.S.
Ingling, C.R. Jr. and Grigsby, S.S. Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages 30: 823
VAN DE GRIND, W.A.
Lankheet, M.J.M., Frens, M.A. and van de Grind, W.A. Spatial properties of horizontal cell responses in the cat retina 30: 1257
Pennartz, C.M.A. and van de Grind, W.A. Simulation of movement detection by direction-selective ganglion cells in the rabbit and squirrel retina 30: 1223
GRÜNERT, U.
Wässle, H., Grünert, U., Röhrenbeck, J. and Boycott, B.B. Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897
GUITE, P.
Lachapelle, P., Benoit, J., Blain, L., Guité, P., Roy, M.S. The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503
GUTKOWSKA, J.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305

HAEGERSTROM-PORTNOY, G.
Schneck, M.E., Adams, A.J., Volbrecht, V.J. and Haegerstrom-Portnoy, G. LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973
Verdon, W., Haegerstrom-Portnoy, G. and Adams, A.J. Spatial sensitization in the short wavelength sensitive pathways under dichoptic viewing conditions 30: 81
HALLETT, P.E.
Hofmann, M.I., Barnes, C.S. and Hallett, P.E. Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453
HAMER, R.D.
Norcia, A.M., Tyler, C.W. and Hamer, R.D. Development ot contrast sensitivity in the human infant 30: 1475
HAMMOND, P.
Hammond, P. and Pomfrett, C.J.D. Influence of spatial frequency on tuning and bias for orientation and direction in the cat's striate cortex 30: 359
HARGRAVE, P.A.
Palczewski, K., Carruth, M.E., Adamus, G., McDowell, J.H. and Hargrave, P.A. Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
HAROSI, F.I.
Petry, H.M. and Hárosi, F.I. Visual pigments of the tree shrew (*Tupaia belangeri*) and greater galago (*Galago crassicaudatus*): a microspectrophotometric investigation 30: 839
HARRIS, J.P.
Harris, J.P., Calvert, J.E. and Snelgar, R.S. Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
HARRIS, M.G.
Georgeson, M.A. and Harris, M.G. The temporal range of motion sensing and motion perception 30: 615
HARRISON, E.M.
Campbell, M.C.W., Harrison, E.M. and Simonet, P. Psychophysical measurement of the blur on the retina due to optical aberrations of the eye 30: 1587
HARRISON, M.
Finkelstein, M.A., Harrison, M. and Hood, D.C. Sites of sensitivity control within a long-wavelength cone pathway 30: 1145
VAN HATEREN, J.H.
van Hateren, J.H. Directional tuning curves, elementary movement detectors, and the estimation of the direction of visual movement 30: 603
HAUSTEIN, W.
Haustein, W. and Mittelstaedt, H. Evaluation of retinal orientation and gaze direction in the perception of the vertical 30: 255

HAYES, B.P.
Hayes, B.P. and Brooke, M. de L. Retinal ganglion cell distribution and behaviour in procellariiform seabirds 30: 1277
HAYHOE, M.M.
Cicerone, C. and Hayhoe, M. The size of the pool for bleaching adaptation in human rod vision 30: 693
Cicerone, C.M., Hayhoe, M.M. and MacLeod, D.I.A. The spread of adaptation in human foveal and parafoveal cone vision 30: 1603
Hayhoe, M.M. Spatial interactions and models of adaptation 30: 957
HE, Z.
He, Z. and Loop, M.S. Peripheral field stimulation affects foveal flicker, but not color, sensitivity 30: 1107
HEELEY, D.W.
Heeley, D.W. and Buchanan-Smith, H.M. Recognition of stimulus orientation 30: 1429
HESS, B.J.M.
Hess, B.J.M. Dual-search coil for measuring 3-dimensional eye movements in experimental animals 30: 597
HESS, R.F.
Anderson, S.J. and Hess, R.F. Post-receptoral undersampling in normal human peripheral vision 30: 1507
Boulton, J.C. and Hess, R.F. Luminance contrast and motion detection 30: 175
Boulton, J.C. and Hess, R.F. The optimal displacement for the detection of motion 30: 1101
Hess, R.F. and Watt, R.J. Regional distribution of the mechanisms that underlie spatial localization 30: 1021
Pointer, J.S. and Hess, R.F. The contrast sensitivity gradient across the major oblique meridians of the human visual field 30: 497
HINE, T.
McIlhagga, W., Hine, T., Cole, G.R. and Snyder A.W. Texture segregation with luminance and chromatic contrast 30: 489
HOCHSTEIN, S.
Shechter, S. and Hochstein, S. On and Off pathway contributions to apparent motion perception 30: 1189
HODOS, W.
Hodos, W. and Erichsen, J.T. Lower-field myopia in birds: an adaptation that keeps the ground in focus 30: 653
HOFMANN, M.I.
Hofmann, M.I., Barnes, C.S. and Hallett, P.E. Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453
HOLE, G.J.
Morgan, M.J., Hole, G.J. and Glennerster, A. Biases and sensitivities in geometrical illusions 30: 1793
HOOD, D.C.
Finkelstein, M.A., Harrison, M. and Hood, D.C. Sites of sensitivity control within a long-wavelength cone pathway 30: 1145
Hood, D.C. and Greenstein, V. Models of the normal and abnormal rod system 30: 51
HORNER, D.
Schor, C.M., Gleason, J. and Horner, D. Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827
HOWARTH, P.A.
Thibos, L.N., Bradley, A., Still, D.L., Zhang, X. and Howarth, P.A. Theory and measurement of ocular chromatic aberration 30: 33
HOWLAND, H.C.
Murphy, C.J., Bellhorn, R.W., Williams, T., Burns, M.S., Schaeffel, F. and Howland, H.C. Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23
HUANG, B.
Livsey, C.T., Huang, B., Xu, J. and Karwoski, C.J. Light-evoked changes in extracellular calcium concentration in frog retina 30: 853
HUETER, R.E.
Cohen, J.L., Heuter, R.E. and Organisciak, D.T. The presence of a porphyropsin-based visual pigment in the juvenile lemon shark (*Negaprion brevirostris*) 30: 1949

IJSPEERT, J.K.
IJspeert, J.K., de Waard, P.W.T., van den Berg, T.J.T.P. and de Jong, P.T.V.M. The intraocular straylight function in 129 healthy volunteers; dependence on angle, age and pigmentation 30: 699
INGLING, C.R. JR.
Ingling, C.R. Jr. and Grigsby, S.S. Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages 30: 823

JACOBS, G.H.
Discrimination of luminance and chromaticity differences by dichromatic and trichromatic monkeys 30: 387
Neitz, J. and Jacobs, G.H. Polymorphism in normal human color vision and its mechanism 30: 621
JAGGER, W.S.
Jagger, W.S. The refractive structure and optical properties of the isolated crystalline lens of the cat 30: 723
JARDON, B.
Yücel, Y.H., Jardon, B., Kim, M.-S. and Bonaventure, N. Directional asymmetry of the horizontal monocular head and eye optokinetic nystagmus: effects of picrotoxin 30: 549
JIANG, B.-C.
Levi, D.M., Jiang, B.-C. and Klein, S.A. Spatial interval discrimination with blurred lines: black and white are separate but not equal at multiple spatial scales 30: 1735
DE JONG, P.T.V.M.
IJspeert, J.K., de Waard, P.W.T., van den Berg, T.J.T.P. and de Jong, P.T.V.M. The intraocular straylight function in 129 healthy volunteers; dependence on angle, age and pigmentation 30: 699
JORDAN, J.R. III
Jordan, J.R. III, Geisler, W.S. and Bovik, A.C. Color as a source of information in the stereo correspondence process 30: 1955
JÜRGENS, R.
Becker, W. and Jürgens, R. Human oblique saccades: quantitative analysis of the relation between horizontal and vertical components 30: 893

KAMERMANS, M.
Kamermans, M., Van Dijk, B.W. and Spekreijse, H. Interaction between the soma and the axon terminal of horizontal cells in the carp retina 30: 1011
KARHUNEN, U.
Kommonen, B. and Karhunen, U. A late receptor dystrophy in the Labrador Retriever 30: 207
KARWOSKI, C.J.
Livsey, C.T., Huang, B., Xu, J. and Karwoski, C.J. Light-evoked changes in extracellular calcium concentration in frog retina 30: 853
KATZ, L.M.
Merigan, W.H. and Katz, L.M. Spatial resolution across the macaque retina 30: 985
KIM, M.-S.
Yücel, Y.H., Jardon, B., Kim, M.-S. and Bonaventure, N. Directional asymmetry of the horizontal monocular head and eye optokinetic nystagmus: effects of picrotoxin 30: 549
KINGDOM, F.
Moulden, B. and Kingdom, F. The mechanisms involved in brightness induction effects: a reply to Zaidi 30: 1247
KIRSCHFELD, K.
Nalbach, H.-O., Wolf-Oberhollenzer, F. and Kirschfeld, K. The pigeon's eye viewed through an ophthalmoscopic microscope: orientation of retinal landmarks and significance of eye movements 30: 529
KLEIN, S.A.
Klein, S.A., Casson, E. and Carney, T. Vernier acuity as line and dipole detection 30: 1703
Levi, D.M. and Klein, S.A. Equivalent intrinsic blur in amblyopia 30: 1995
Levi, D.M. and Klein, S.A. Equivalent intrinsic blur in spatial vision 30: 1971
Levi, D.M. and Klein, S.A. The role of separation and eccentricity in encoding position 30: 557
Levi, D.M., Jiang, B.-C. and Klein, S.A. Spatial interval discrimination with blurred lines: black and white are separate but not equal at multiple spatial scales 30: 1735
KOMMONEN, B.
Kommonen, B. and Karhunen, U. A late receptor dystrophy in the Labrador Retriever 30: 207
KOWLER, E.
Steinman, R.M., Kowler, E. and Collewijn, H. New directions for oculomotor research 30: 1845
KREMERS, J.
de Graaf, B., Wertheim, A.H., Bles, W. and Kremers, J. Angular velocity, not temporal frequency determines circular vection 30: 637

LACHAPELLE, P.
Benoit, J. and Lachapelle, P. Temporal relationship between ERG components and geniculate unit activity in rabbit 30: 797
Lachapelle, P., Benoit, J., Blain, L., Guité, P., Roy, M.S. The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503

DE LACOBA, M.G.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
LAGAE, L.
Versavel, M., Orban, G.A. and Lagae, L. Responses of visual cortical neurons to curved stimuli and chevrons 30: 235
LAKSHMINARAYANAN, V.
De Valois, K.K., Lakshminarayanan, V., Nygaard, R., Schlussel, S and Sladky, J. Discrimination of relative spatial position 30: 1649
LAMB, T.D.
Pugh, E.N. Jr. and Lamb, T.D. Cyclic GMP and calcium: the internal messengers of excitation and adaptation in vertebrate photoreceptors 30: 1923
LAND, M.F.
Land, M.F. Direct observation of receptors and images in simple and compound eyes 30: 1721
LANDY, M.S.
Landy, M.S., Manovich, L.Z., and Stetten, G.D. Applications of the EVE software for visual modeling 30: 329
LANGE-MALECKI, B.
Valberg, A. and Lange-Malecki, B. "Colour constancy" in Mondrian patterns: a partial cancellation of physical chromaticity shifts by simultaneous contrast 30: 371
LANKHEET, M.J.M.
Lankheet, M.J.M., Frens, M.A. and van de Grind, W.A. Spatial properties of horizontal cell responses in the cat retina 30: 1257
LENNIE, P.
Sclar, G., Maunsell, J.H.R., and Lennie, P. Coding of image contrast in central visual pathways of the macaque monkey 30: 1
LEVI, D.M.
Levi, D.M. and Klein, S.A. Equivalent intrinsic blur in amblyopia 30: 1995
Levi, D.M. and Klein, S.A. Equivalent intrinsic blur in spatial vision 30: 1971
Levi, D.M. and Klein, S.A. The role of separation and eccentricity in encoding position 30: 557
Levi, D.M., Jiang, B.-C. and Klein, S.A. Spatial interval discrimination with blurred lines: black and white are separate but not equal at multiple spatial scales 30: 1735
McKee, S.P., Levi, D.M. and Bowne, S.F. The imprecision of stereopsis 30: 1763
LI, J.-D.
Yang, X.-L., Fan, T.-X., and Li, J.-D. Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993
LI, W.
Li, W. and Matin, L. Saccadic suppression of displacement: influence of postsaccadic exposure duration and of saccadic stimulus elimination 30: 945
LINDSEY, D.T.
Lindsey, D.T. and Teller, D.Y. Motion at isoluminance: discrimination/detection ratios for moving isoluminant gratings 30: 1751
LIVSEY, C.T.
Livsey, C.T., Huang, B., Xu, J. and Karwoski, C.J. Light-evoked changes in extracellular calcium concentration in frog retina 30: 853
LOGOTHETIS, N.K.
Logothetis, N.K. and Charles, E.R. The minimum motion technique applied to determine isoluminance in psychophysical experiments with monkeys 30: 829
Logothetis, N.K. and Schall, J.D. Binocular motion rivalry in macaque monkeys: eye dominance and tracking eye movements 30: 1409
LOGVINENKO, A.D.
Logvinenko, A.D. Nonlinear analysis of spatial vision using first- and second-order Volterra transfer functions measurement 30: 2031
LONGTIN, A.
Milton, J.G. and Longtin, A. Evaluation of pupil constriction and dilation from cycling measurements 30: 515
LOOP, M.S.
He, Z. and Loop, M.S. Peripheral field stimulation affects foveal flicker, but not color, sensitivity 30: 1107
LUTZE, M.
Lutze, M., Cox, N.J., Smith, V.C. and Pokorny, J. Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149

LYTHGOE, J.N.
Archer, S.N. and Lythgoe, J.N. The visual pigment basis for cone polymorphism in the guppy, *Poecilia reticulata* 30: 225

MACLEOD, D.I.A.
Cicerone, C.M., Hayhoe, M.M. and MacLeod, D.I.A. The spread of adaptation in human foveal and parafoveal cone vision 30: 1603
MACVEIGH, D.
Elliott, D., Whitaker, D., and MacVeigh, D. Neural contribution to spatiotemporal contrast sensitivity decline in healthy ageing eyes 30: 541
Whitaker, D. and MacVeigh, D. Displacement thresholds for various types of movement: effect of spatial and temporal reference proximity 30: 1499
MAFFEI, L.
Maffei, L., Fiorentini, A. and Bisti, S. The visual acuity of the Lynx 30: 527
MALLOT, H.A.
Mallot, H.A. and Bideau, H. Binocular vergence influences the assignment of stereo correspondences 30: 1521
MALONEY, L.T.
Maloney, L.T. The slope of the psychometric function at different wavelengths 30: 129
MANNY, R.E.
Manny, R.E. and Fern, K.D. Motion coherence in infants 30: 1319
MANOVICH, L.Z.
Landy, M.S., Manovich, L.Z., and Stetten, G.D. Applications of the EVE software for visual modeling 30: 329
MARTINOYA, C.
Palacios, A., Martinoya, C., Bloch, S. and Varela, F.J. Color mixing in the pigeon. A psychophysical determination in the longwave spectral range 30: 587
MATIN, L.
Li, W. and Matin, L. Saccadic suppression of displacement: influence of postsaccadic exposure duration and of saccadic stimulus elimination 30: 945
MAUNSELL, J.H.R.
Sclar, G., Maunsell, J.H.R., and Lennie, P. Coding of image contrast in central visual pathways of the macaque monkey 30: 1
MAURER, D.
Adams, R.J., Maurer, D. and Cashin, H.A. The influence of stimulus size on newborns' discrimination of chromatic from achromatic stimuli 30: 2023
MCCOURT, M.E.
Disappearance of grating induction at scotopic luminances 30: 431
MCDOWELL, J.H.
Palczewski, K., Carruth, M.E., Adamus, G., McDowell, J.H. and Hargrave, P.A. Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
MCELLIGOTT, J.G.
Freedman, W., Carroll, J.R. and McElligott, J.G. Comparison of vestibulo-ocular reflex (VOR) modification methods in cats 30: 1525
MCILHAGGA, W.
McIlhagga, W., Hine, T., Cole, G.R. and Snyder A.W. Texture segregation with luminance and chromatic contrast 30: 489
MCKEE, S.P.
McKee, S.P. Introduction 30: 1529
McKee, S.P., Levi, D.M. and Bowne, S.F. The imprecision of stereopsis 30: 1763
McKee, S.P., Welch, L., Taylor, D.G. and Bowne, S.F. Finding the common bond: stereoacuity and the other hyperacuities 30: 879
Mitchison, G.J. and McKee. S.P. Mechanisms underlying the anisotropy of stereoscopic tilt perception 30: 1781
MERIGAN, W.H.
Merigan, W.H. and Katz, L.M. Spatial resolution across the macaque retina 30: 985
MICHAEL, R.G.
Deb, M.K., Dey, S., Varman, A.R. and Michael, R.G. Scanning electron microscopic studies on lenticular aberations due to prolonged starvation in a cat fish (*Heteropneustes fossilis*, Bloch) 30: 1017
MIKAELIAN, D.M.
Mikaelian, H.H., Mikaelian, D.M., and Cameron, E.L. Adaptation to tilt is not produced by eye-muscle potentiation 30: 779

MIKAELIAN, H.H.
Mikaelian, H.H., Mikaelian, D.M., and Cameron, E.L. Adaptation to tilt is not produced by eye-muscle potentiation 30: 779
MILES, F.A.
Miles, F.A., Wallman, J. Local ocular compensation for imposed local refractive error 30: 339
MILLAR, T.J.
Vaegan, Arora, A., Crewther, S.G. and Millar, T.J. The effect of various anaesthetics on the spatial tuning of two major wave peaks in the transient pattern electroretinogram of the cat: evidence for pattern and luminance components 30: 1401
MILTON, J.G.
Milton, J.G. and Longtin, A. Evaluation of pupil constriction and dilation from cycling measurements 30: 515
MITCHISON, G.J.
Mitchison, G.J. and McKee. S.P. Mechanisms underlying the anisotropy of stereoscopic tilt perception 30: 1781
MITTELSTAEDT, H.
Haustein, W. and Mittelstaedt, H. Evaluation of retinal orientation and gaze direction in the perception of the vertical 30: 255
MORGAN, M.J.
Morgan, M.J., Hole, G.J. and Glennerster, A. Biases and sensitivities in geometrical illusions 30: 1793
MOULDEN, B.
Moulden, B. and Kingdom, F. The mechanisms involved in brightness induction effects: a reply to Zaidi 30: 1247
MULLIGAN, J.B.
Stone, L.S., Watson, A.B. and Mulligan, J.B. Effect of contrast on the perceived direction of a moving plaid 30: 1049
MURPHY, C.J.
Murphy, C.J., Bellhorn, R.W., Williams, T., Burns, M.S., Schaeffel, F. and Howland, H.C. Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23

NAKAYAMA, K.
Nakayama, K. and Shimojo, S. Da Vinci stereopsis: depth and subjective occluding contours from unpaired image points 30: 1811
Shimojo, S. and Nakayama, K. Real world occlusion constraints and binocular rivalry 30: 69
NALBACH, H.-O.
Nalbach, H.-O., Wolf-Oberhollenzer, F. and Kirschfeld, K. The pigeon's eye viewed through an ophthalmoscopic microscope: orientation of retinal landmarks and significance of eye movements 30: 529
NAWROT, M.
Nawrot, M. and Sekuler, R. Assimilation and contrast in motion perception: explorations in cooperativity 30: 1439
NAWY, S.
Nawy, S. and Copenhagen, D.R. Intracellular cesium separates two glutamate conductances in retinal bipolar cells of goldfish 30: 967
NEILL, R.A.
Woodruff, C.J. and Neill, R.A. Detecting target shifts under uniform field flicker 30: 479
NEITZ, J.
Neitz, J. and Jacobs, G.H. Polymorphism in normal human color vision and its mechanism 30: 621
NISHIDA, S.-Y.
Nishida, S.-y. and Takeuchi, T. The effects of luminance on affinity of apparent motion 30: 709
NOJI, J.
Alpern, M., Zhang, H. and Noji, J. Do deviations from radiance-invariance of metameric matches contradict the three pigment theory of foveal trichromacy 30: 1539
NORCIA, A.M.
Norcia, A.M., Tyler, C.W. and Hamer, R.D. Development of contrast sensitivity in the human infant 30: 1475
VAN NORREN, D.
van Norren, D. and Schellekens, P. Blue light hazard in rat 30: 1517
NYGAARD, R.
De Valois, K.K., Lakshminarayanan, V., Nygaard, R., Schlussel, S and Sladky, J. Discrimination of relative spatial position 30: 1649

OHZAWA, I.
Freeman, R.D. and Ohzawa, I. On the neurophysiological organization of binocular vision 30: 1661

OLSON, C.X.
Boynton, R.M., Olson, C.X. Salience of chromatic basic color terms confirmed by three measures 30: 1311
OLZAK, L.A.
Thomas, J.P. and Olzak, L.A. Cue summation in spatial discriminations 30: 1865
ORBAN, G.A.
Versavel, M., Orban, G.A. and Lagae, L. Responses of visual cortical neurons to curved stimuli and chevrons 30: 235
ORGANISCIAK, D.T.
Cohen, J.L., Heuter, R.E. and Organisciak, D.T. The presence of a porphyropsin-based visual pigment in the juvenile lemon shark (*Negaprion brevirostris*) 30: 1949
OWENS, H.
Winn, B., Pugh, J.R., Gilmartin, B. and Owens, H. The frequency characteristics of accommodative microfluctuations for central and peripheral zones of the human crystalline lens 30: 1093

PALACIOS, A.
Palacios, A., Martinoya, C., Bloch, S. and Varela, F.J. Color mixing in the pigeon. A psychophysical determination in the longwave spectral range 30: 587
PALCZEWSKI, K.
Palczewski, K., Carruth, M.E., Adamus, G., McDowell, J.H. and Hargrave, P.A. Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
PALMER, L.A.
Szulborski, R.G. and Palmer, L.A. The two-dimensional spatial structure of nonlinear subunits in the receptive fields of complex cells 30: 249
PATTERSON, R.
Patterson, R. and Fox, R. Metacontrast masking between cyclopean and luminance stimuli 30: 439
PAVEL, M.
Farrell, J.E., Pavel, M., and Sperling, G. The visible persistence of stimuli in stroboscopic motion 30: 921
PEACHEY, N.S.
Peachey, N.S., Alexander, K.R. and Derlacki, D.J. Spatial properties of rod-cone interactions in flicker and hue detection 30: 1205
PENNARTZ, C.M.A.
Pennartz, C.M.A. and van de Grind, W.A. Simulation of movement detection by direction-selective ganglion cells in the rabbit and squirrel retina 30: 1223
PETRY, H.M.
Petry, H.M. and Hárosi, F.I. Visual pigments of the tree shrew (*Tupaia belangeri*) and greater galago (*Galago crassicaudatus*): a microspectrophotometric investigation 30: 839
PLUVINAGE, V.
Pluvinage, V. and Green, D.G. Evidence for a power law intensity code in the coupled cones of the turtle 30: 673
Pluvinage, V. and Green, D.G. Square root intensity coding in turtle cones: physiological mechanisms 30: 683
POINTER, J.S.
Pointer, J.S. and Hess, R.F. The contrast sensitivity gradient across the major oblique meridians of the human visual field 30: 497
POIRSON, A.B.
Poirson, A.B. and Wandell, B.A. The ellipsoidal representation of spectral sensitivity 30: 647
POKORNY, J.
Lutze, M., Cox, N.J., Smith, V.C. and Pokorny, J. Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149
POMFRETT, C.J.D.
Hammond, P. and Pomfrett, C.J.D. Influence of spatial frequency on tuning and bias for orientation and direction in the cat's striate cortex 30: 359
PRESTON, K.L.
Finocchio, D.V., Preston, K.L. and Fuchs, A.F. Obtaining a quantitative measure of eye movements in human infants: a method of calibrating the electrooculogram 30: 1119
PUGH, E.N. JR.
Pugh, E.N. Jr. and Lamb, T.D. Cyclic GMP and calcium: the internal messengers of excitation and adaptation in vertebrate photoreceptors 30: 1923
PUGH, J.R.
Winn, B., Pugh, J.R., Gilmartin, B. and Owens, H. The frequency characteristics of accommodative microfluctuations for central and peripheral zones of the human crystalline lens 30: 1093

PURDY, P.D.
Srebro, R. and Purdy, P.D. Localization of visually evoked cortical activity using magnetic resonance imaging and computerized tomography 30: 351

RAMIREZ, A.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
RAMIREZ, J.M.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
RAMPONI, R.
Boulton, M., Docchio, F., Dayhaw-Barker, P. Ramponi, R. and Cubeddu, R. Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291
RANINEN, A.
Rovamo, J. and Raninen, A. Cortical acuity and the luminous flux collected by retinal ganglion cells at various eccentricities in human rod and cone vision. 30: 11
RAYMOND, J.E.
Raymond, J.E. and Darcangelo, S.M. The effect of local luminance contrast on induced motion 30: 751
ROEBROEK, J.G.H.
Roebroek, J.G.H. and Stavenga, D.G. On the effective optical density of the pupil mechanism in fly photoreceptors 30: 1235
RÖHRENBECK, J.
Wässle, H., Grünert, U., Röhrenbeck, J. and Boycott, B.B. Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897
ROSS, C.D.
White, L.E., Ross, C.D. and Godfrey, D.A. Distributions of choline acetyltransferase and acetylcholinesterase activities in the retinal layers of pigeon red and yellow fields 30: 215
ROSSI, A.
Cogan, A.I., Clarke, M., Chan, H. and Rossi, A. Two-pulse monocular and binocular interactions at the differential luminance threshold 30: 1617
ROVAMO, J.
Rovamo, J. and Raninen, A. Cortical acuity and the luminous flux collected by retinal ganglion cells at various eccentricities in human rod and cone vision. 30: 11
ROY, M.S.
Lachapelle, P., Benoit, J., Blain, L., Guité, P., Roy, M.S. The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503

SAGI, D.
Sagi, D. Detection of an orientation singularity in Gabor textures: effect of signal density and spatial-frequency 30: 1377
SALAZAR, J.J.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
SCHAEFFEL, F.
Murphy, C.J., Bellhorn, R.W., Williams, T., Burns, M.S., Schaeffel, F. and Howland, H.C. Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23
SCHALL, J.D.
Logothetis, N.K. and Schall, J.D. Binocular motion rivalry in macaque monkeys: eye dominance and tracking eye movements 30: 1409
SCHELLEKENS, P.
van Norren, D. and Schellekens, P. Blue light hazard in rat 30: 1517
SCHLUSSEL, S.
De Valois, K.K., Lakshminarayanan, V., Nygaard, R., Schlussel, S and Sladky, J. Discrimination of relative spatial position 30: 1649

SCHNECK, M.E.
Schneck, M.E., Adams, A.J., Volbrecht, V.J. and Haegerstrom-Portnoy, G. LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973
SCHOR, C.M.
Schor, C.M., Gleason, J. and Horner, D. Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827
Switkes, E., Bradley, A. and Schor, C. Readily visible changes in color contrast are insufficient to stimulate accommodation 30: 1367
SCLAR, G.
Sclar, G., Maunsell, J.H.R., and Lennie, P. Coding of image contrast in central visual pathways of the macaque monkey 30: 1
SEKI, T.
Azuma, M., Seki, T. and Fujishita, S. Changes of egg retinoids during the development of *Xenopus laevis* 30: 1395
SEKULER, A.B.
Sekuler, A.B. Motion segregation from speed differences: evidence for nonlinear processing 30: 785
SEKULER, R.
Nawrot, M. and Sekuler, R. Assimilation and contrast in motion perception: explorations in cooperativity 30: 1439
SHARPE, J.A.
Eizenman, M., Cheng, P., Sharpe, J.A., and Frecker, R.C. End-point nystagmus and ocular drift: an experimental and theoretical study 30: 863
SHEA, S.L.
Shea, S.L. and Aslin, R.N. Oculomotor responses to step-ramp targets by young human infants 30: 1077
SHECHTER, S.
Shechter, S. and Hochstein, S. On and Off pathway contributions to apparent motion perception 30: 1189
SHIMOJO, S.
Nakayama, K. and Shimojo, S. Da Vinci stereopsis: depth and subjective occluding contours from unpaired image points 30: 1811
Shimojo, S. and Nakayama, K. Real world occlusion constraints and binocular rivalry 30: 69
SHIOIRI, S.
Shioiri, S. and Cavanagh, P. ISI produces reverse apparent motion 30: 757
SIMONET, P.
Campbell, M.C.W., Harrison, E.M. and Simonet, P. Psychophysical measurement of the blur on the retina due to optical aberrations of the eye 30: 1587
Simonet, P. and Campbell, M.C.W. The optical transverse chromatic aberration on the fovea of the human eye 30: 187
SIMPSON, W.A.
Simpson, W.A. The use of different features by the matching process in short-range motion 30: 1421
SLADKY, J.
De Valois, K.K., Lakshminarayanan, V., Nygaard, R., Schlussel, S and Sladky, J. Discrimination of relative spatial position 30: 1649
SMITH, A.T.
Smith, A.T., Edgar, G.K. The influence of spatial frequency on perceived temporal frequency and perceived speed 30: 1467
SMITH, V.C.
Lutze, M., Cox, N.J., Smith, V.C. and Pokorny, J. Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149
SNELGAR, R.S.
Harris, J.P., Calvert, J.E. and Snelgar, R.S. Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
SNOWDEN, R.J.
Snowden, R.J. and Braddick, O.J. Differences in the processing of short-range apparent motion at small and large displacements 30: 1211
SNYDER, A.W.
McIlhagga, W., Hine, T., Cole, G.R. and Snyder A.W. Texture segregation with luminance and chromatic contrast 30: 489
SPEKREIJSE, H.
Kamermans, M., Van Dijk, B.W. and Spekreijse, H. Interaction between the soma and the axon terminal of horizontal cells in the carp retina 30: 1011
SPERLING, G.
Farrell, J.E Pavel, M., and Sperling, G. The visible persistence of stimuli in stroboscopic motion 30: 921

SREBRO, R.
Srebro, R. and Purdy, P.D. Localization of visually evoked cortical activity using magnetic resonance imaging and computerized tomography 30: 351
Srebro, R. Realistic modeling of VEP topography 30: 1001
STAVENGA, D.G.
Roebroek, J.G.H. and Stavenga, D.G. On the effective optical density of the pupil mechanism in fly photoreceptors 30: 1235
STEIDLEY, K.D.
Steidley, K.D. The radiation phosphene 30: 1139
STEINMAN, R.M.
Steinman, R.M., Kowler, E. and Collewijn, H. New directions for oculomotor research 30: 1845
STETTEN, G.D.
Landy, M.S., Manovich, L.Z., and Stetten, G.D. Applications of the EVE software for visual modeling 30: 329
STILL, D.L.
Thibos, L.N., Bradley, A., Still, D.L., Zhang, X. and Howarth, P.A. Theory and measurement of ocular chromatic aberration 30: 33
STONE, L.S.
Stone, L.S., Watson, A.B. and Mulligan, J.B. Effect of contrast on the perceived direction of a moving plaid 30: 1049
SUTTER, E.E.
Sutter, E.E. and Vaegan. Lateral interaction component and local luminance nonlinearities in the human pattern reversal ERG 30: 659
SWANSON, W.H.
Swanson, W.H. and Birch, E.E. Infant spatiotemporal vision: dependence of spatial contrast sensitivity on temporal frequency 30: 1033
SWITKES, E.
Switkes, E., Bradley, A. and Schor, C. Readily visible changes in color contrast are insufficient to stimulate accommodation 30: 1367
SZULBORSKI, R.G.
Szulborski, R.G. and Palmer, L.A. The two-dimensional spatial structure of nonlinear subunits in the receptive fields of complex cells 30: 249

TAKEUCHI, T.
Nishida, S.-y. and Takeuchi, T. The effects of luminance on affinity of apparent motion 30: 709
TAYLOR, D.G.
McKee, S.P., Welch, L., Taylor, D.G. and Bowne, S.F. Finding the common bond: stereoacuity and the other hyperacuities 30: 879
TELLER, D.Y.
Lindsey, D.T. and Teller, D.Y. Motion at isoluminance: discrimination/detection ratios for moving isoluminant gratings 30: 1751
THIBOS, L.N.
Thibos, L.N., Bradley, A., Still, D.L., Zhang, X. and Howarth, P.A. Theory and measurement of ocular chromatic aberration 30: 33
THOMAS, J.P.
Thomas, J.P. and Olzak, L.A. Cue summation in spatial discriminations 30: 1865
TIANA, C.L.M.
Coletta, N.J., Williams, D.R. and Tiana, C.L.M. Consequences of spatial sampling for human motion perception 30: 1631
TRIVIÑO, A.
Fernandez-Durango, R., Triviño, A., Ramirez, J.M., de Lacoba, M.G., Ramirez, A., Salazar, J.J., Fernandez-Cruz, A. and Gutkowska, J. Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
TWEED, D.
Tweed, D. and Vilis, T. Geometric relations of eye position and velocity during saccades 30: 111
Tweed, D., Cadera, W. and Vilis, T. Computing three-dimensional eye position quaternions and eye velocity from search coil signals 30: 97
TYLER, C.W.
Norcia, A.M., Tyler, C.W. and Hamer, R.D. Development of contrast sensitivity in the human infant 30: 1475
Tyler, C.W. A stereoscopic view of visual processing streams 30: 1877

VAEGAN
Sutter, E.E. and Vaegan. Lateral interaction component and local luminance nonlinearities in the human pattern reversal ERG 30: 659
Vaegan, Arora, A., Crewther, S.G. and Millar, T.J. The effect of various anaesthetics on the spatial tuning of two major wave peaks in the transient pattern electroretinogram of the cat: evidence for pattern and luminance components 30: 1401
VALBERG, A.
Valberg, A. and Lange-Malecki, B. "Colour constancy" in Mondrian patterns: a partial cancellation of physical chromaticity shifts by simultaneous contrast 30: 371
VAN DIJK, B.W.
Kamermans, M., Van Dijk, B.W. and Spekreijse, H. Interaction between the soma and the axon terminal of horizontal cells in the carp retina 30: 1011
VARELA, F.J.
Palacios, A., Martinoya, C., Bloch, S. and Varela, F.J. Color mixing in the pigeon. A psychophysical determination in the longwave spectral range 30: 587
VARMAN, A.R.
Deb, M.K., Dey, S., Varman, A.R. and Michael, R.G. Scanning electron microscopic studies on lenticular aberations due to prolonged starvation in a cat fish (*Heteropneustes fossilis*, Bloch) 30: 1017
VERDON, W.
Verdon, W., Haegerstrom-Portnoy, G. and Adams, A.J. Spatial sensitization in the short wavelength sensitive pathways under dichoptic viewing conditions 30: 81
VERSAVEL, M.
Versavel, M., Orban, G.A. and Lagae, L. Responses of visual cortical neurons to curved stimuli and chevrons 30: 235
VICTOR, J.D.
Victor, J.D. and Conte, M.M. Motion mechanisms have only limited access to form information 30: 289
VILIS, T.
Tweed, D. and Vilis, T. Geometric relations of eye position and velocity during saccades 30: 111
Tweed, D., Cadera, W. and Vilis, T. Computing three-dimensional eye position quaternions and eye velocity from search coil signals 30: 97
VOLBRECHT, V.J.
Schneck, M.E., Adams, A.J., Volbrecht, V.J. and Haegerstrom-Portnoy, G. LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973
VOS, J.J.
Vos, J.J., Estévez, O. and Walraven, P.L. Improved color fundamentals offer a new view on photometric additivity 30: 937

DE WAARD, P.W.T.
IJspeert, J.K., de Waard, P.W.T., van den Berg, T.J.T.P. and de Jong, P.T.V.M. The intraocular straylight function in 129 healthy volunteers; dependence on angle, age and pigmentation 30: 699
WALLMAN, J.
Miles, F.A., Wallman, J. Local ocular compensation for imposed local refractive error 30: 339
WALRAVEN, P.L.
Vos, J.J., Estévez, O. and Walraven, P.L. Improved color fundamentals offer a new view on photometric additivity 30: 937
WALSH, G.
Walsh, G. and Charman, W.N. The subjective sensitivity to small changes in the contrast of a suprathreshold grating 30: 163
WALTENSPIEL, S.
Greenlee, M.W., Gerling, J., and Waltenspiel, S. Spatial-frequency discrimination of drifting gratings 30: 1331
WANDELL, B.A.
Poirson, A.B. and Wandell, B.A. The ellipsoidal representation of spectral sensitivity 30: 647
WANG, Y.-C.
Frost, B.J., Wylie, D.R. and Wang, Y.-C. The processing of object and self-motion in the tectofugal and accessory optic pathways of birds 30: 1677
WÄSSLE, H.
Wässle, H., Grünert, U., Röhrenbeck, J. and Boycott, B.B. Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897
WATSON, A.B.
Stone, L.S., Watson, A.B. and Mulligan, J.B. Effect of contrast on the perceived direction of a moving plaid 30: 1049

Watson, A.B. Optimal displacement in apparent motion and quadrature models of motion sensing 30: 1389
WATT, R.J.
Hess, R.F. and Watt, R.J. Regional distribution of the mechanisms that underlie spatial localization 30: 1021
WELCH, L.
McKee, S.P., Welch, L., Taylor, D.G. and Bowne, S.F. Finding the common bond: stereoacuity and the other hyperacuities 30: 879
WERTHEIM, A.H.
de Graaf, B., Wertheim, A.H., Bles, W. and Kremers, J. Angular velocity, not temporal frequency determines circular vection 30: 637
WESTHEIMER, G.
Westheimer, G. Simultaneous orientation contrast for lines in the human fovea 30: 1913
WHITAKER, D.
Elliott, D., Whitaker, D., and MacVeigh, D. Neural contribution to spatiotemporal contrast sensitivity decline in healthy ageing eyes 30: 541
Whitaker, D. and MacVeigh, D. Displacement thresholds for various types of movement: effect of spatial and temporal reference proximity 30: 1499
WHITE, L.E.
White, L.E., Ross, C.D. and Godfrey, D.A. Distributions of choline acetyltransferase and acetylcholinesterase activities in the retinal layers of pigeon red and yellow fields 30: 215
WHITTAKER, S.G.
Whittaker, S.G. and Cummings, R.W. Foveating saccades 30: 1363
WIESEL, T.M.
Gilbert, C.D., Wiesel, T.N. The influence of contextual stimuli on the orientation selectivity of cells in primary visual cortex of the cat 30: 1689
WILLIAMS, D.R.
Coletta, N.J., Williams, D.R. and Tiana, C.L.M. Consequences of spatial sampling for human motion perception 30: 1631
WILLIAMS, M.C.
Breitmeyer, B.G. and Williams, M.C. Effects of isoluminant-background color on metacontract and stroboscopic motion: interactions between sustained (*P*) and transient (*M*) channels 30: 1069
WILLIAMS, T.
Murphy, C.J., Bellhorn, R.W., Williams, T., Burns, M.S., Schaeffel, F. and Howland, H.C. Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23
WILSON, H.R.
Ferrera, V.P. and Wilson, H.R. Perceived direction of moving two-dimensional patterns 30: 273
WINN, B.
Winn, B., Pugh, J.R., Gilmartin, B. and Owens, H. The frequency characteristics of accommodative microfluctuations for central and peripheral zones of the human crystalline lens 30: 1093
WOLF-OBERHOLLENZER, F.
Nalbach, H.-O., Wolf-Oberhollenzer, F. and Kirschfeld, K. The pigeon's eye viewed through an ophthalmoscopic microscope: orientation of retinal landmarks and significance of eye movements 30: 529
WONG, T.L.
Badcock, D.R. and Wong, T.L. The sensitivity of separation discrimination to spatiotemporal jitter 30: 1555
WOODRUFF, C.J.
Woodruff, C.J. and Neill, R.A. Detecting target shifts under uniform field flicker 30: 479
WYLIE, D.R.
Frost, B.J., Wylie, D.R. and Wang, Y.-C. The processing of object and self-motion in the tectofugal and accessory optic pathways of birds 30: 1677

XU, J.
Livsey, C.T., Huang, B., Xu, J. and Karwoski, C.J. Light-evoked changes in extracellular calcium concentration in frog retina 30: 853

YAMASHITA, S.
Yamashita, S. Efferent optic nerve impulses in response to illumination of single eyes of orb weaving spiders 30: 817
YANG, X.-L.
Yang, X.-L., Fan, T.-X., and Li, J.-D. Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993

YAP, Y.L.
Burbeck, C.A. and Yap, Y.L. Spatial-filter selection in large-scale spatial-interval discrimination 30: 263
Burbeck, C.A. and Yap, Y.L. Spatiotemporal limitations in bisection and separation discrimination 30: 1573
Burbeck, C.A., and Yap, Y.L. Two mechanisms for localization? Evidence for seperation-dependent and separation-independent processing of position information 30: 739
YOKOYAMA, R.
Yokoyama, R. and Yokoyama, S. Isolation, DNA sequence and evolution of a color visual pigment gene of the blind cave fish *Astyanax fasciatus* 30: 807
YOKOYAMA, S.
Yokoyama, R. and Yokoyama, S. Isolation, DNA sequence and evolution of a color visual pigment gene of the blind cave fish *Astyanax fasciatus* 30: 807
YÜCEL, Y.H.
Yücel, Y.H., Jardon, B., Kim, M.-S. and Bonaventure, N. Directional asymmetry of the horizontal monocular head and eye optokinetic nystagmus: effects of picrotoxin 30: 549

ZAIDI, Q.
Zaidi, Q. Apparent brightness in complex displays: a reply to Moulden and Kingdom 30: 1253
ZETZSCHE, C.
Zetzsche, C. and Barth, E. Fundamental limits of linear filters in the visual processing of two-dimensional signals 30: 1111
ZHANG, H.
Alpern, M., Zhang, H. and Noji, J. Do deviations from radiance-invariance of metameric matches contradict the three pigment theory of foveal trichromacy 30: 1539
ZHANG, X.
Thibos, L.N., Bradley, A., Still, D.L., Zhang, X. and Howarth, P.A. Theory and measurement of ocular chromatic aberration 30: 33

SUBJECT INDEX

ABERRATION
Theory and measurement of ocular chromatic aberration 30: 33
The optical transverse chromatic aberration on the fovea of the human eye 30: 187
Scanning electron microscopic studies on lenticular aberrations due to prolonged starvation in a cat fish (*Heteropneustes fossilis*, Bloch) 30: 1017
Psychophysical measurement of the blur on the retina due to optical aberrations of the eye 30: 1587

ABSOLUTE THRESHOLD (see DETECTION THRESHOLD)

ACCOMMODATION
Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23
The subjective senstivity to small changes in the contrast of a suprathreshold grating 30: 163
The frequency characteristics of accommodative microfluctuations for central and peripheral zones of the human crystalline lens 30: 1093
Readily visible changes in color contrast are insufficient to stimulate accommodation 30: 1367

ACUITY (see also STEREOPSIS; HYPERACUITY)
Cortical acuity and the luminous flux collected by retinal ganglion cells at various eccentricities in human rod and cone vision 30: 11
The visual acuity of the Lynx 30: 527
Saccadic suppression of displacement: influence of postsaccadic exposure duration and of saccadic stimulus elimination 30: 945
Spatial resolution across the macaque retina 30: 985

ADAPTATION
"Colour constancy" in Mondrian patterns: a partial cancellation of physical chromaticity shifts by simultaneous contrast 30: 371
Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
Effects of adapting luminance and stimulus contrast on the temporal and spatial limits of short-range motion 30: 415
The size of the pool for bleaching adaptation in human rod vision 30: 693
Spatial interactions and models of adaptation 30: 957
Sites of sensitivity control within a long-wavelength cone pathway 30: 1145
The spread of adaptation in human foveal and parafoveal cone vision 30: 1603
Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827

ADAPTATION, DARK (see also BLEACHING)
The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503
Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453

ADAPTATION, LIGHT
Cyclic GMP and Calcium: the internal messengers of excitation and adaptation in vertebrate photoreceptors 30: 1923

AFTEREFFECTS (see also ILLUSION; PERSISTENCE)
Independent orientation-selective mechanisms for the cardinal directions of colour space 30: 769
Adaptation to tilt is not produced by eye-muscle potentiation 30: 779
Optimal displacement in apparent motion and quadrature models of motion sensing 30: 1389

AFTERIMAGE (see AFTEREFFECTS)

AGEING
Neural contribution to spatiotemporal contrast sensitivity decline in healthy ageing eyes 30: 541

The intraocular straylight function in 129 healthy volunteers; dependence on angle, age and pigmentation 30: 699
Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291

ALIASING
Consequences of spatial sampling for human motion perception 30: 1631

ALIGNMENT (see HYPERACUITY)

AMACRINE CELLS
Distributions of choline acetyltransferase and acetylcholinesterase activities in the retinal layers of pigeon red and yellow fields 30: 215

AMBLYOPIA
Equivalent intrinsic blur in amblyopia 30: 1995

ANTIBODIES
Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305

ATTENTION (see COGNITION)

BINOCULAR RIVALRY (see also SUPPRESSION)
Real world occlusion constraints and binocular rivalry 30: 69
Binocular motion rivalry in macaque monkeys: eye dominance and tracking eye movements 30: 1409

BINOCULAR VISION
New phenomena linking depth and luminance in stereoscopic motion 30: 137
The pigeon's eye viewed through an ophthalmoscopic microscope: orientation of retinal landmarks and significance of eye movements 30: 529
Two-pulse monocular and binocular interactions at the differential luminance threshold 30: 1617
On the neurophysiological organization of binocular vision 30: 1661
Mechanisms underlying the anisotropy of stereoscopic tilt perception 30: 1781
Color as a source of information in the stereo correspondence process 30: 1955

BIPOLAR CELLS
Intracellular cesium separates two glutamate conductances in retinal bipolar cells of goldfish 30: 967

BLEACHING (see ADAPTATION, DARK)
The size of the pool for bleaching adaptation in human rod vision 30: 693
Visual pigments of the tree shrew (*Tupaia belangeri*) and greater galago (*Galago crassicaudatus*): a microspectrophotometric investigation 30: 839

BRIGHTNESS PERCEPTION
On and Off pathway contributions to apparent motion perception 30: 1189
The mechanisms involved in brightness induction effects: a reply to Zaidi 30: 1247
Apparent brightness in complex displays: a reply to Moulden and Kingdom 30: 1253

BROCA-SULZER EFFECT (see BRIGHTNESS PERCEPTION)

CELLS (see AMACRINE CELLS; BIPOLAR CELLS; GANGLION CELLS; HORIZONTAL CELLS; LATERAL GENICULATE NUCLEUS; CORTEX)

CHANNELS
Disappearance of grating induction at scotopic luminances 30: 431
The effect of local luminance contrast on induced motion 30: 751
Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages 30: 823
Effects of isoluminant-background color on metacontrast and stroboscopic motion: interactions between sustained (*P*) and transient (*M*) channels 30: 1069
Peripheral field stimulation affects foveal flicker, but not color, sensitivity 30: 1107
On and Off pathway contributions to apparent motion perception 30: 1189
Motion at isoluminance: discrimination/detection ratios for moving isoluminant gratings 30: 1751
A stereoscopic view of visual processing streams 30: 1877

CHROMATIC ABERRATION (see ABERRATION)

CHROMATIC CONTRAST (see COLOR CONTRAST)

CHROMATIC INDUCTION (see COLOR CONTRAST)

COGNITION
Conditions for versatile learning, Helmholtz's unconscious inference, and the task of perception 30: 1561

COLOR ANOMALY
Discrimination of luminance and chromaticity differences by dichromatic and trichromatic monkeys 30: 387
Polymorphism in normal human color vision and its mechanism 30: 621
LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973

COLOR APPEARANCE
"Colour constancy" in Mondrian patterns: a partial cancellation of physical chromaticity shifts by simultaneous contrast 30: 371
Salience of chromatic basic color terms confirmed by three measures 30: 1311

COLOR BLINDNESS (see COLOR ANOMALY; DICHROMACY)

COLOR CONTRAST
"Colour constancy" in Mondrian patterns: a partial cancellation of physical chromaticity shifts by simultaneous contrast 30: 371
Texture segregation with luminance and chromatic contrast 30: 489
The minimum motion technique applied to determine isoluminance in psychophysical experiments with monkeys 30: 829
Effects of isoluminant-background color on metacontrast and stroboscopic motion: interactions between sustained (*P*) and transient (*M*) channels 30: 1069
Development of visual sensitivity to light and color vision in human infants: a critical review 30: 1159
Readily visible changes in color contrast are insufficient to stimulate accommodation 30: 1367
The use of different features by the matching process in short-range motion 30: 1421
Motion at isoluminance: discrimination/detection ratios for moving isoluminant gratings 30: 1751
Color as a source of information in the stereo correspondence process 30: 1955

COLOR DISCRIMINATION
The slope of the psychometric function at different wavelengths 30: 129
Discrimination of luminance and chromaticity differences by dichromatic and trichromatic monkeys 30: 387
Color mixing in the pigeon. A psychophysical determination in the longwave spectral range 30: 587
The ellipsoidal representation of spectral sensitivity 30: 647
Peripheral field stimulation affects foveal flicker, but not color, sensitivity 30: 1107
Spatial properties of rod-cone interactions in flicker and hue detection 30: 1205

COLOR MATCHING
Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149
Polymorphism in normal human color vision and its mechanism 30: 621
Do deviations from radiance-invariance of metameric matches contradict the three pigment theory of foveal trichromacy 30: 1539

COLOR OPPONENCY
Sites of sensitivity control within a long-wavelength cone pathway 30: 1145

COLOR SELECTIVITY
Independent orientation-selective mechanisms for the cardinal directions of colour space 30: 769

CONES (see also PHOTORECEPTORS)
Spatial sensitization in the short wavelength sensitive parthways under dichoptic viewing conditions 30: 81
The visual pigment basis for cone polymorphism in the guppy, *Poecilia reticulata* 30: 225
Evidence for a power law intensity code in the coupled cones of the turtle 30: 673
Square root intensity coding in turtle cones: physiological mechanisms 30: 683
Visual pigments of the tree shrew (*Tupaia belangeri*) and greater galago (*Galago crassicaudatus*): a microspectrophotometric investigation 30: 839
Improved color fundamentals offer a new view on photometric additivity 30: 937
LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973
Spatial resolution across the macaque retina 30: 985
Regional distribution of the mechanisms that underlie spatial localization 30: 1021
Sites of sensitivity control within a long-wavelength cone pathway 30: 1145
The spread of adaptation in human foveal and parafoveal cone vision 30: 1603
Consequences of spatial sampling for human motion perception 30: 1631
Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897

CONTRAST DISCRIMINATION
Contrast discrimination cannot explain spatial frequency, orientation or temporal frequency discrimination 30: 449
Cue summation in spatial discriminations 30: 1865

CONTRAST FLASH (see MASKING)

CONTRAST REVERSAL
ISI produces reverse apparent motion 30: 757

CONTRAST SENSITIVITY
Coding of image contrast in central visual pathways of the macaque monkey 30: 1
Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
The contrast sensitivity gradient across the major oblique meridians of the human visual field. 30: 497
The visual acuity of the Lynx 30: 527
Neural contribution to spatiotemporal contrast sensitivity decline in healthy ageing eyes 30: 541
Infant spatiotemporal vision: dependence of spatial contrast sensitivity on temporal frequency 30: 1033
The influence of stimulus length on the oblique effect of contrast sensitivity 30: 1243
Recognition of stimulus orientation 30: 1429
Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453
Development of contrast sensitivity in the human infant 30: 1475
Nonlinear analysis of spatial vision using first- and second-order Volterra transfer functions measurement 30: 2031

CORTEX
Coding of image contrast in central visual pathways of the macaque monkey 30: 1
Responses of visual cortical neurons to curved stimuli and chevrons 30: 235
The two-dimensional spatial structure of nonlinear subunits in the receptive fields of complex cells 30: 249

Localization of visually evoked cortical activity using magnetic resonance imaging and computerized tomography 30: 351
Influence of spatial frequency on tuning and bias for orientation and direction in the cat's striate cortex 30: 359
On the neurophysiological organization of binocular vision 30: 1661
The influence of contextual stimuli on the orientation selectivity of cells in primary visual cortex of the cat 30: 1689

CORTICAL MAGNIFICATION
Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897

DEPTH PERCEPTION
Real world occlusion constraints and binocular rivalry 30: 69
The role of image size and retinal motion in the computation of absolute distance by the Mongolian gerbil (*Meriones unguicalatus*) 30: 399
Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages 30: 823
On the neurophysiological organization of binocular vision 30: 1661
Da Vinci stereopsis: depth and subjective occluding contours from unpaired image points 30: 1811

DETECTION THRESHOLD
Spatial sensitization in the short wavelength sensitive parthways under dichoptic viewing conditions 30: 81
The slope of the psychometric function at different wavelengths 30: 129
Luminance contrast and motion detection 30: 175
Texture segregation with luminance and chromatic contrast 30: 489
The ellipsoidal representation of spectral sensitivity 30: 647

DEUTERANOPIA (see DICHROMACY)

DEVELOPMENT
Local ocular compensation for imposed local refractive error 30: 339
Infant spatiotemporal vision: dependence of spatial contrast sensitivity on temporal frequency 30: 1033
Oculomotor responses to step-ramp targets by young human infants 30: 1077
Obtaining a quantitative measure of eye movements in human infants: a method of calibrating the electrooculogram 30: 1119
Development of visual sensitivity to light and color vision in human infants: a critical review 30: 1159
Motion coherence in infants 30: 1319
Changes of egg retinoids during the development of *Xenopus laevis* 30: 1395
Development of contrast sensitivity in the human infant 30: 1475
The influence of stimulus size on newborns' discrimination of chromatic from achromatic stimuli 30: 2023

DICHROMACY
The influence of stimulus size on newborns' discrimination of chromatic from achromatic stimuli 30: 2023

DIPLOPIA (see BINOCULAR VISION)

DIRECTIONAL SELECTIVITY
Perceived direction of moving two-dimensional patterns 30: 273
Influence of spatial frequency on tuning and bias for orientation and direction in the cat's striate cortex 30: 359
Simulation of movement detection by direction-selective ganglion cells in the rabbit and squirrel retina 30: 1223
The processing of object and self-motion in the tectofugal and accessory optic pathways of birds 30: 1677

DISPARITY (see BINOCULAR VISION; STEREOPSIS)

ECCENTRICITY (see PERIPHERAL VISION)

EDGE DETECTION (see FEATURE DETECTION)

ELECTRORETINOGRAM
A late receptor dystrophy in the Labrador Retriever 30: 207
The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503
Lateral interaction component and local luminance nonlinearities in the human pattern reversal ERG 30: 659
Temporal relationship between ERG components and geniculate unit activity in rabbit 30: 797
Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993
The effect of various anaesthetics on the spatial tuning of two major wave peaks in the transient pattern electroretinogram of the cat: evidence for pattern and luminance components 30: 1401

EVOKED POTENTIALS
Localization of visually evoked cortical activity using magnetic resonance imaging and computerized tomography 30: 351
The visual acuity of the Lynx 30: 527
Realistic modeling of VEP topography 30: 1001
Development of contrast sensitivity in the human infant 30: 1475

EYE-MOVEMENTS
Computing three-dimensional eye position quaternions and eye velocity from search coil signals 30: 97
Geometric relations of eye position and velocity during saccades 30: 111
Evaluation of retinal orientation and gaze direction in the perception of the vertical 30: 255
The pigeon's eye viewed through an ophthalmoscopic microscope: orientation of retinal landmarks and significance of eye movements 30: 529
Dual-search coil for measuring 3-dimensional eye movements in experiemental animals 30: 597
Obtaining a quantitative measure of eye movements in human infants: a method of calibrating the electrooculogram 30: 1119
Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827
New directions for oculomotor research 30: 1845

EYE-MOVEMENTS, OTOKINETIC NYSTAGMUS
Directional asymmetry of the horizontal monocular head and eye optokinetic nystagmus: effects of picrotoxin 30: 549
End-point nystagmus and ocular drift: an experimental and theoretical study 30: 863
Motion coherence in infants 30: 1319
Foveating saccades 30: 1363
Binocular motion rivalry in macaque monkeys: eye dominance and tracking eye movements 30: 1409

EYE-MOVEMENTS, SACCADIC
Geometric relations of eye position and velocity during saccades 30: 111
Human oblique saccades: quantititative analysis of the relation between horizontal and vertical components 30: 893
Saccadic suppression of displacement: influence of postsaccadic exposure duration and of saccadic stimulus elimination 30: 945
Oculomotor responses to step-ramp targets by young human infants 30: 1077
Foveating saccades 30: 1363
Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827

EYE-MOVEMENTS, SMOOTH PURSUIT
End-point nystagmus and ocular drift: an experimental and theoretical study 30: 863
Oculomotor responses to step-ramp targets by young human infants 30: 1077
Selective nonconjugate binocular adaptation of vertical saccades and pursuits 30: 1827

EYE-MOVEMENTS, TORSIONAL
Adaptation to tilt is not produced by eye-muscle potentiation 30: 779
Stereopsis, cyclotorsional "noise" and the apparent vertical 30: 1487

EYE-MOVEMENTS, VERGENCE
Binocular vergence influences the assignment of stereo correspondences 30: 1521

EYE-MOVEMENTS, VESTIBULO-OCULAR
Comparison of vestibulo-ocular reflex (VOR) modification methods in cats 30: 1525

FEATURE DETECTION
Applications of the EVE software for visual modeling 30: 329
Detection of an orientation singularity in Gabor textures: effect of signal density and spatial-frequency 30: 1377

FLICKER
Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149
The subjective senstivity to small changes in the contrast of a suprathreshold grating 30: 163
Motion mechanisms have only limited access to form information 30: 289
Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
Discrimination of luminance and chromaticity differences by dichromatic and trichromatic monkeys 30: 387
Detecting target shifts under uniform field flicker 30: 479
Lateral interaction component and local luminance nonlinearities in the human pattern reversal ERG 30: 659
Peripheral field stimulation affects foveal flicker, but not color, sensitivity 30: 1107
Spatial properties of rod-cone interactions in flicker and hue detection 30: 1205

FORM PERCEPTION
Motion mechanisms have only limited access to form information 30: 289
Perceptual correlates of magnocellular and parvocellular channels: seeing form and depth in afterimages 30: 823

FOVEA
Theory and measurement of ocular chromatic aberration 30: 33
The optical transverse chromatic aberration on the fovea of the human eye 30: 187
The spread of adaptation in human foveal and parafoveal cone vision 30: 1603

GANGLION CELLS
Cortical acuity and the luminous flux collected by retinal ganglion cells at various eccentricities in human rod and cone vision 30: 11
Spatial resolution across the macaque retina 30: 985
Simulation of movement detection by direction-selective ganglion cells in the rabbit and squirrel retina 30: 1223
Retinal ganglion cell distribution and behaviour in procellariiform seabirds 30: 1277
Retinal ganglion cell density and cortical magnification factor in the primate 30: 1897

GRATINGS (see also SPATIAL FREQUENCY)
Cortical acuity and the luminous flux collected by retinal ganglion cells at various eccentricities in human rod and cone vision 30: 11
The subjective senstivity to small changes in the contrast of a suprathreshold grating 30: 163
Luminance contrast and motion detection 30: 175
Perceived direction of moving two-dimensional patterns 30: 273
Disappearance of grating induction at scotopic luminances 30: 431
The temporal range of motion sensing and motion perception 30: 615
Independent orientation-selective mechanisms for the cardinal directions of colour space 30: 769
Effect of contrast on the perceived direction of a moving plaid 30: 1049
The influence of stimulus length on the oblique effect of contrast sensitivity 30: 1243
The mechanisms involved in brightness induction effects: a reply to Zaidi 30: 1247
Apparent brightness in complex displays: a reply to Moulden and Kingdom 30: 1253
Spatial-frequency discrimination of drifting gratings 30: 1331
Perception of directional sampled motion in relation to displacement and spatial frequency: evidence for a unitary motion system 30: 1341
Readily visible changes in color contrast are insufficient to stimulate accommodation 30: 1367
Development of contrast sensitivity in the human infant 30: 1475
Motion at isoluminance: discrimination/detection ratios for moving isoluminant gratings 30: 1751

HORIZONTAL CELLS
Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993
Interaction between the soma and the axon terminal of horizontal cells in carp retina 30: 1011
Spatial properties of horizontal cell responses in the cat retina 30: 1257

HYPERACUITY
Finding the common bond: stereoacuity and the other hyperacuities 30: 879
Displacement thresholds for various types of movement: effect of spatial and temporal reference proximity 30: 1499
The sensitivity of separation discrimination to spatiotemporal jitter 30: 1555
Spatiotemporal limitations in bisection and separation discrimination 30: 1573
Vernier acuity as line and dipole detection 30: 1703
Spatial interval discrimination with blurred lines: black and white are separate but not equal at multiple spatial scales 30: 1735
The imprecision of stereopsis 30: 1763
Biases and sensitivities in geometrical illusions 30: 1793
Equivalent intrinsic blur in spatial vision 30: 1971
Equivalent intrinsic blur in amblyopia 30: 1995

ILLUSION (see also AFTEREFFECTS)
Assimilation and contrast in motion perception: explorations in cooperativity 30: 1439
Post-receptoral undersampling in normal human peripheral vision 30: 1507
Binocular vergence influences the assignment of stereo correspondences 30: 1521
Biases and sensitivities in geometrical illusions 30: 1793
Da Vinci stereopsis: depth and subjective occluding contours from unpaired image points 30: 1811
Simultaneous orientation contrast for lines in the human fovea 30: 1913

INCREMENT THRESHOLD
Models of the normal and abnormal rod system 30: 51
The subjective senstivity to small changes in the contrast of a suprathreshold grating 30: 163
The imprecision of stereopsis 30: 1763
Biases and sensitivities in geometrical illusions 30: 1793

INTEROCULAR TRANSFER (see AFTEREFFECTS)

ISOLUMINANCE (see COLOR CONTRAST)

LATENCY
Detecting target shifts under uniform field flicker 30: 479
Evaluation of pupil constriction and dilation from cycling measurements 30: 515
Temporal relationship between ERG components and geniculate unit activity in rabbit 30: 797

LATERAL GENICULATE NUCLEUS
Coding of image contrast in central visual pathways of the macaque monkey 30: 1
Temporal relationship between ERG components and geniculate unit activity in rabbit 30: 797

LATERAL INHIBITION
Spatial interactions and models of adaptation 30: 957
Simulation of movement detection by direction-selective ganglion cells in the rabbit and squirrel retina 30: 1223
The influence of contextual stimuli on the orientation selectivity of cells in primary visual cortex of the cat 30: 1689

LENS
The intraocular straylight function in 129 healthy volunteers; dependence on angle, age and pigmentation 30: 699

The refractive structure and optical properties of the isolated crystalline lens of the cat 30: 723
Scanning electron microscopic studies on lenticular aberrations due to prolonged starvation in a cat fish (*Heteropneustes fossilis*, Bloch) 30: 1017
The frequency characteristics of accommodative microfluctuations for central and peripheral zones of the human crystalline lens 30: 1093

LIGHT DAMAGE
Blue light hazard in rat 30: 1517

LUMINANCE
New phenomena linking depth and luminance in stereoscopic motion 30: 137
Luminance contrast and motion detection 30: 175
The interocular luminance yoke: a vestige of phototaxis? 30: 181
Discrimination of luminance and chromaticity differences by dichromatic and trichromatic monkeys 30: 387
Effects of adapting luminance and stimulus contrast on the temporal and spatial limits of short-range motion 30: 415
Metacontrast masking between cyclopean and luminance stimuli 30: 439
Texture segregation with luminance and chromatic contrast 30: 489
Lateral interaction component and local luminance nonlinearities in the human pattern reversal ERG 30: 659
The effects of luminance on affinity of apparent motion 30: 709
The effect of local luminance contrast on induced motion 30: 751
The minimum motion technique applied to determine isoluminance in psychophysical experiments with monkeys 30: 829
Improved color fundamentals offer a new view on photometric additivity 30: 937
The effect of various anaesthetics on the spatial tuning of two major wave peaks in the transient pattern electroretinogram of the cat: evidence for pattern and luminance components 30: 1401
The use of different features by the matching process in short-range motion 30: 1421
Two-pulse monocular and binocular interactions at the differential luminance threshold 30: 1617
Color as a source of information in the stereo correspondence process 30: 1955
The influence of stimulus size on newborns' discrimination of chromatic from achromatic stimuli 30: 2023

MASKING
Spatial sensitization in the short wavelength sensitive parthways under dichoptic viewing conditions 30: 81
Masking of low frequency information in short-range apparent motion 30: 317
Metacontrast masking between cyclopean and luminance stimuli 30: 439
Detecting target shifts under uniform field flicker 30: 479
Effects of isoluminant-background color on metacontrast and stroboscopic motion: interactions between sustained (*P*) and transient (*M*) channels 30: 1069
Vernier acuity as line and dipole detection 30: 1703

McCOLLOUGH EFFECT (see AFTEREFFECTS)

METACONTRAST (see MASKING)

MOLECULAR BIOLOGY
Genetic studies of variation in Rayleigh and photometric matches in normal trichromats 30: 149
Polymorphism in normal human color vision and its mechanism 30: 621
Isolation, DNA sequence and evolution of a color visual pigment gene of the blind cave fish *Astyanax fasciatus* 30: 807
Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129

MOVEMENT PERCEPTION
New phenomena linking depth and luminance in stereoscopic motion 30: 137
Luminance contrast and motion detection 30: 175
Perceived direction of moving two-dimensional patterns 30: 273
Motion mechanisms have only limited access to form information 30: 289
Direction discrimination for band-pass filtered random dot kinematograms 30: 303
Applications of the EVE software for visual modeling 30: 329

The role of image size and retinal motion in the computation of absolute distance by the Mongolian gerbil (*Meriones unguicalatus*) 30: 399
Effects of adapting luminance and stimulus contrast on the temporal and spatial limits of short-range motion 30: 415
Contrast dependence of short-range apparent motion 30: 463
Directional tuning curves, elementary movement detectors, and the estimation of the direction of visual movement 30: 603
The temporal range of motion sensing and motion perception 30: 615
Angular velocity, not temporal frequency determines circular vection 30: 637
The effects of luminance on affinity of apparent motion 30: 709
The effect of local luminance contrast on induced motion 30: 751
ISI produces reverse apparent motion 30: 757
Motion segregation from speed differences: evidence for nonlinear processing 30: 785
The minimum motion technique applied to determine isoluminance in psychophysical experiments with monkeys 30: 829
Finding the common bond: stereoacuity and the other hyperacuities 30: 879
The visible persistence of stimuli in stroboscopic motion 30: 921
Effect of contrast on the perceived direction of a moving plaid 30: 1049
Effects of isoluminant-background color on metacontrast and stroboscopic motion: interactions between sustained (*P*) and transient (*M*) channels 30: 1069
The optimal displacement for the detection of motion 30: 1101
On and Off pathway contributions to apparent motion perception 30: 1189
Differences in the processing of short-range apparent motion at small and large displacements 30: 1211
Simulation of movement detection by direction-selective ganglion cells in the rabbit and squirrel retina 30: 1223
Motion coherence in infants 30: 1319
Spatial-frequency discrimination of drifting gratings 30: 1331
Perception of directional sampled motion in relation to displacement and spatial frequency: evidence for a unitary motion system 30: 1341
Optimal displacement in apparent motion and quadrature models of motion sensing 30: 1389
Binocular motion rivalry in macaque monkeys: eye dominance and tracking eye movements 30: 1409
The use of different features by the matching process in short-range motion 30: 1421
Assimilation and contrast in motion perception: explorations in cooperativity 30: 1439
The influence of spatial frequency on perceived temporal frequency and perceived speed 30: 1467
Displacement thresholds for various types of movement: effect of spatial and temporal reference proximity 30: 1499
Post-receptoral undersampling in normal human peripheral vision 30: 1507
Consequences of spatial sampling for human motion perception 30: 1631
The processing of object and self-motion in the tectofugal and accessory optic pathways of birds 30: 1677
Motion at isoluminance: discrimination/detection ratios for moving isoluminant gratings 30: 1751

NEUROCHEMISTRY
Distributions of choline acetyltransferase and acetylcholinesterase activities in the retinal layers of pigeon red and yellow fields 30: 215
Light-evoked changes in extracellular calcium concentration in frog retina 30: 853
Intracellular cesium separates two glutamate conductances in retinal bipolar cells of goldfish 30: 967
Interaction between the soma and the axon terminal of horizontal cells in carp retina 30: 1011
Molecular, enzymatic and functional properties of rhodopsin kinase from rat pineal gland 30: 1129
Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291
Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305
Changes of egg retinoids during the development of *Xenopus laevis* 30: 1395
Cyclic GMP and Calcium: the internal messengers of excitation and adaptation in vertebrate photoreceptors 30: 1923

NEUROTRANSMITTER (see NEUROCHEMISTRY)

NOISE
The two-dimensional spatial structure of nonlinear subunits in the receptive fields of complex cells 30: 249
Contrast dependence of short-range apparent motion 30: 463

OCULAR DIMENSIONS
Local ocular compensation for imposed local refractive error 30: 339
Lower-field myopia in birds: an adaptation that keeps the ground in focus 30: 653
Psychophysical measurement of the blur on the retina due to optical aberrations of the eye 30: 1587

OPTIC TECTUM
The processing of object and self-motion in the tectofugal and accessory optic pathways of birds 30: 1677

ORIENTATION PERCEPTION
Evaluation of retinal orientation and gaze direction in the perception of the vertical 30: 255
Contrast discrimination cannot explain spatial frequency, orientation or temporal frequency discrimination 30: 449
The influence of stimulus length on the oblique effect of contrast sensitivity 30: 1243
Detection of an orientation singularity in Gabor textures: effect of signal density and spatial-frequency 30: 1377
Recognition of stimulus orientation 30: 1429
The influence of contextual stimuli on the orientation selectivity of cells in primary visual cortex of the cat 30: 1689
Mechanisms underlying the anisotropy of stereoscopic tilt perception 30: 1781
Simultaneous orientation contrast for lines in the human fovea 30: 1913

PATHOLOGY
Models of the normal and abnormal rod system 30: 51
A late receptor dystrophy in the Labrador Retriever 30: 207
Immunoreactive atrial natriuretic factor in aqueous humor: its concentration is increased with high intraocular pressure in rabbit eyes 30: 1305

PERIPHERAL VISION
Cortical acuity and the luminous flux collected by retinal ganglion cells at various eccentricities in human rod and cone vision 30: 11
Masking of low frequency information in short-range apparent motion 30: 317
Adaptation to peripheral flicker: relationship to contrast detection thresholds 30: 381
The contrast sensitivity gradient across the major oblique meridians of the human visual field. 30: 497
The role of separation and eccentricity in encoding position 30: 557
Two mechanisms for localization? Evidence for separation-dependent and separation-independent processing of position information 30: 739
Finding the common bond: stereoacuity and the other hyperacuities 30: 879
Regional distribution of the mechanisms that underlie spatial localization 30: 1021
Peripheral field stimulation affects foveal flicker, but not color, sensitivity 30: 1107
Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453
Post-receptoral undersampling in normal human peripheral vision 30: 1507

PERSISTENCE (see also AFTEREFFECTS)
The visible persistence of stimuli in stroboscopic motion 30: 921

PHASE SENSITIVITY
The optimal displacement for the detection of motion 30: 1101
Optimal displacement in apparent motion and quadrature models of motion sensing 30: 1389

PHILOSOPHICAL ISSUES
Conditions for versatile learning, Helmholtz's unconscious inference, and the task of perception 30: 1561
New directions for oculomotor research 30: 1845

PHOTOPIGMENTS
The visual pigment basis for cone polymorphism in the guppy, *Poecilia reticulata* 30: 225
The oscillatory potentials in response to stimuli of photopic intensities delivered in dark-adaptation: an explanation for the conditioning flash effect 30: 503

Color mixing in the pigeon. A psychophysical determination in the longwave spectral range 30: 587
Isolation, DNA sequence and evolution of a color visual pigment gene of the blind cave fish *Astyanax fasciatus* 30: 807
Efferent optic nerve impulses in response to illumination of single eyes of orb weaving spiders 30: 817
Light-evoked changes in extracellular calcium concentration in frog retina 30: 853
The radiation phosphene 30: 1139
Spatial properties of rod-cone interactions in flicker and hue detection 30: 1205
On the effective optical density of the pupil mechanism in fly photoreceptors 30: 1235
The presence of a porphyropsin-based visual pigment in the juvenile lemon shark *(Negaprion brevirostris)* 30: 1949

PHOTORECEPTORS (see also CONES; RODS)
Direct observation of receptors and images in simple and compound eyes 30: 1721
Cyclic GMP and Calcium: the internal messengers of excitation and adaptation in vertebrate photoreceptors 30: 1923

PIGMENT EPITHELIUM
Light-evoked changes in extracellular calcium concentration in frog retina 30: 853
Age-related changes in the morphology, absorption and fluorescence of melanosomes and lipofuscin granules of the retinal pigment epithelium 30: 1291

PROTANOPIA (see DICHROMACY)

PUPILS
Evaluation of pupil constriction and dilation from cycling measurements 30: 515
On the effective optical density of the pupil mechanism in fly photoreceptors 30: 1235

RECEPTOR POTENTIAL (see CONES; ELECTRORETINOGRAM; PHOTORECEPTORS; RODS)

REFRACTION
Refractive state, ocular anatomy, and accommodative range of the sea otter (*Enhydra lutris*) 30: 23
Responses of visual cortical neurons to curved stimuli and chevrons 30: 235
The two-dimensional spatial structure of nonlinear subunits in the receptive fields of complex cells 30: 249
Local ocular compensation for imposed local refractive error 30: 339
Lower-field myopia in birds: an adaptation that keeps the ground in focus 30: 653
Evidence for a power law intensity code in the coupled cones of the turtle 30: 673
The refractive structure and optical properties of the isolated crystalline lens of the cat 30: 723
Interaction between the soma and the axon terminal of horizontal cells in carp retina 30: 1011
Spatial properties of horizontal cell responses in the cat retina 30: 1257
On the neurophysiological organization of binocular vision 30: 1661

RETINAL DISEASE (see PATHOLOGY)

ROD-CONE INTERACTION (see CONES; RODS)

RODS (see also PHOTORECEPTORS)
Models of the normal and abnormal rod system 30: 51
The size of the pool for bleaching adaptation in human rod vision 30: 693
LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973
Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993

SACCADES (see EYE-MOVEMENTS, SACCADIC)

SACCADIC SUPPRESSION (see SUPPRESSION)

SATURATION
LWS cone effects on rod threshold and saturation in achromats with residual cone function 30: 973

SCHEMATIC EYE (see OCULAR DIMENSIONS)

SCOTOPIC VISION
Disappearance of grating induction at scotopic luminances 30: 431
Detection of briefly flashed sine-gratings in dark-adapted vision 30: 1453

SENSITIVITY REGULATION (see ADAPTATION, LIGHT)

SPATIAL FREQUENCY
Spatial-filter selection in large-scale spatial-interval discrimination 30: 263
Motion mechanisms have only limited access to form information 30: 289
Direction discrimination for band-pass filtered random dot kinematograms 30: 303
Masking of low frequency information in short-range apparent motion 30: 317
Influence of spatial frequency on tuning and bias for orientation and direction in the cat's striate cortex 30: 359
Contrast discrimination cannot explain spatial frequency, orientation or temporal frequency discrimination 30: 449
Angular velocity, not temporal frequency determines circular vection 30: 637
The visible persistence of stimuli in stroboscopic motion 30: 921
Spatial-frequency discrimination of drifting gratings 30: 1331
Perception of directional sampled motion in relation to displacement and spatial frequency: evidence for a unitary motion system 30: 1341
Detection of an orientation singularity in Gabor textures: effect of signal density and spatial-frequency 30: 1377
The influence of spatial frequency on perceived temporal frequency and perceived speed 30: 1467
Cue summation in spatial discriminations 30: 1865
Nonlinear analysis of spatial vision using first- and second-order Volterra transfer functions measurement 30: 2031

SPATIAL VISION (see also ACUITY; CHANNELS)
Spatial-filter selection in large-scale spatial-interval discrimination 30: 263
Applications of the EVE software for visual modeling 30: 329
The role of separation and eccentricity in encoding position 30: 557
Two mechanisms for localization? Evidence for separation-dependent and separation-independent processing of position information 30: 739
Saccadic suppression of displacement: influence of postsaccadic exposure duration and of saccadic stimulus elimination 30: 945
Spatial interactions and models of adaptation 30: 957
Regional distribution of the mechanisms that underlie spatial localization 30: 1021
The optimal displacement for the detection of motion 30: 1101
Fundamental limits of linear filters in the visual processing of two-dimensional signals 30: 1111
Differences in the processing of short-range apparent motion at small and large displacements 30: 1211
Post-receptoral undersampling in normal human peripheral vision 30: 1507
The sensitivity of separation discrimination to spatiotemporal jitter 30: 1555
Spatiotemporal limitations in bisection and separation discrimination 30: 1573
Consequences of spatial sampling for human motion perception 30: 1631
Discrimination of relative spatial position 30: 1649
Direct observation of receptors and images in simple and compound eyes 30: 1721
Spatial interval discrimination with blurred lines: black and white are separate but not equal at multiple spatial scales 30: 1735
Equivalent intrinsic blur in spatial vision 30: 1971
Equivalent intrinsic blur in amblyopia 30: 1995
Nonlinear analysis of spatial vision using first- and second-order Volterra transfer functions measurement 30: 2031

SPECTRAL SENSITIVITY
The visual pigment basis for cone polymorphism in the guppy, *Poecilia reticulata* 30: 225

The ellipsoidal representation of spectral sensitivity 30: 647
Visual pigments of the tree shrew (*Tupaia belangeri*) and greater galago (*Galago crassicaudatus*): a microspectrophotometric investigation 30: 839
Improved color fundamentals offer a new view on photometric additivity 30: 937
Electroretinographic *b*-wave merely reflects the activity of the rod system in the dark-adapted carp retina 30: 993
The presence of a porphyropsin-based visual pigment in the juvenile lemon shark (*Negaprion brevirostris*) 30: 1949

SPHERICAL ABERRATION (see ABERRATION)

STEREOPSIS
Real world occlusion constraints and binocular rivalry 30: 69
New phenomena linking depth and luminance in stereoscopic motion 30: 137
Metacontrast masking between cyclopean and luminance stimuli 30: 439
Finding the common bond: stereoacuity and the other hyperacuities 30: 879
Stereopsis, cyclotorsional "noise" and the apparent vertical 30: 1487
Binocular vergence influences the assignment of stereo correspondences 30: 1521
On the neurophysiological organization of binocular vision 30: 1661
The imprecision of stereopsis 30: 1763
Mechanisms underlying the anisotropy of stereoscopic tilt perception 30: 1781
Da Vinci stereopsis: depth and subjective occluding contours from unpaired image points 30: 1811
A stereoscopic view of visual processing streams 30: 1877
Color as a source of information in the stereo correspondence process 30: 1955

STILES-CRAWFORD EFFECT (see DIRECTIONAL SELECTIVITY)

SUMMATION, SPATIAL
Two mechanisms for localization? Evidence for separation-dependent and separation-independent processing of position information 30: 739
Spatial properties of horizontal cell responses in the cat retina 30: 1257

SUMMATION, TEMPORAL
Two mechanisms for localization? Evidence for separation-dependent and separation-independent processing of position information 30: 739
Differences in the processing of short-range apparent motion at small and large displacements 30: 1211
Spatiotemporal limitations in bisection and separation discrimination 30: 1573

SUPERIOR COLLICULUS (see OPTIC TECTUM)

SUPPRESSION (see also BINOCULAR RIVALRY)
The imprecision of stereopsis 30: 1763

TECHNIQUES
Computing three-dimensional eye position quaternions and eye velocity from search coil signals 30: 97
Applications of the EVE software for visual modeling 30: 329
Localization of visually evoked cortical activity using magnetic resonance imaging and computerized tomography 30: 351
Dual-search coil for measuring 3-dimensional eye movements in experiemental animals 30: 597
The minimum motion technique applied to determine isoluminance in psychophysical experiments with monkeys 30: 829
Obtaining a quantitative measure of eye movements in human infants: a method of calibrating the electrooculogram 30: 1119
On the effective optical density of the pupil mechanism in fly photoreceptors 30: 1235

TEMPORAL DISCRIMINATION
Contrast discrimination cannot explain spatial frequency, orientation or temporal frequency discrimination 30: 449
Neural contribution to spatiotemporal contrast sensitivity decline in healthy ageing eyes 30: 541

TEMPORAL FREQUENCY (see also FLICKER)
Effects of adapting luminance and stimulus contrast on the temporal and spatial limits of short-range motion 30: 415
The temporal range of motion sensing and motion perception 30: 615
Angular velocity, not temporal frequency determines circular vection 30: 637
ISI produces reverse apparent motion 30: 757
The visible persistence of stimuli in stroboscopic motion 30: 921
Infant spatiotemporal vision: dependence of spatial contrast sensitivity on temporal frequency 30: 1033
The influence of spatial frequency on perceived temporal frequency and perceived speed 30: 1467

TEXTURE PERCEPTION
Texture segregation with luminance and chromatic contrast 30: 489
Detection of an orientation singularity in Gabor textures: effect of signal density and spatial-frequency 30: 1377

THRESHOLD (see CONTRAST SENSITIVITY; DETECTION THRESHOLD; INCREMENT THRESHOLD)

TRITANOPIA (see DICHROMACY)

VELOCITY (see MOVEMENT PERCEPTION)

VERNIER ACUITY (see HYPERACUITY)

VISUAL DIRECTION
The interocular luminance yoke: a vestige of phototaxis? 30: 181

VISUAL SEARCH (see FEATURE DETECTION)

WAVELENGTH DISCRIMINATION (see COLOR DISCRIMINATION)